

Package ‘broom.helpers’

August 7, 2023

Title Helpers for Model Coefficients Tibbles

Version 1.14.0

Description Provides suite of functions to work with regression model 'broom::tidy()' tibbles. The suite includes functions to group regression model terms by variable, insert reference and header rows for categorical variables, add variable labels, and more.

License GPL (>= 3)

URL <https://larmarange.github.io/broom.helpers/>

BugReports <https://github.com/larmarange/broom.helpers/issues>

Depends R (>= 3.4)

Imports broom (>= 0.8), cli, dplyr, labelled, lifecycle, purrr, rlang (>= 1.0.1), stats, stringr, tibble, tidyr

Suggests betareg, biglm, biglmm, brms (>= 2.13.0), broom.mixed, cmprsk, covr, datasets, effects, emmeans, fixest (>= 0.10.0), forcats, gam, gee, geopack, ggplot2, ggeffects, ggstats (>= 0.2.1), glmmTMB, glue, gt, gtsummary (>= 1.6.3), knitr, lavaan, lfe, lme4 (>= 1.1.28), logitr (>= 0.8.0), marginaeffects (>= 0.10.0), margins, MASS, mgcv, mice, multgee, nnet, ordinal, parameters, parsnip, patchwork, plm, pscl, rmarkdown, rstanarm, scales, spelling, survey, survival, testthat, tidycmprsk, VGAM

VignetteBuilder knitr

RdMacros lifecycle

Encoding UTF-8

Language en-US

LazyData true

RoxygenNote 7.2.3

NeedsCompilation no

Author Joseph Larmarange [aut, cre] (<<https://orcid.org/0000-0001-7097-700X>>), Daniel D. Sjöberg [aut] (<<https://orcid.org/0000-0003-0862-2018>>)

Maintainer Joseph Larmarange <joseph@larmarange.net>

Repository CRAN

Date/Publication 2023-08-07 15:40:02 UTC

R topics documented:

.clean_backticks	3
.escape_regex	4
.formula_list_to_named_list	4
.generic_selector	5
.select_to_varnames	6
assert_package	7
model_compute_terms_contributions	8
model_get_assign	9
model_get_coefficients_type	10
model_get_contrasts	12
model_get_model	13
model_get_model_frame	14
model_get_model_matrix	15
model_get_n	17
model_get_nlevels	19
model_get_offset	20
model_get_pairwise_contrasts	21
model_get_response	22
model_get_response_variable	23
model_get_terms	24
model_get_weights	25
model_get_xlevels	27
model_identify_variables	28
model_list_contrasts	29
model_list_higher_order_variables	31
model_list_terms_levels	32
model_list_variables	34
select_helpers	36
seq_range	37
supported_models	38
tidy_add_coefficients_type	39
tidy_add_contrasts	40
tidy_add_estimate_to_reference_rows	41
tidy_add_header_rows	43
tidy_add_n	45
tidy_add_pairwise_contrasts	47
tidy_add_reference_rows	49
tidy_add_term_labels	51
tidy_add_variable_labels	52
tidy_all_effects	54
tidy_attach_model	55
tidy_avg_comparisons	56

<code>.clean_backticks</code>	3
tidy_avg_slopes	58
tidy_broom	59
tidy_disambiguate_terms	59
tidy_ggpredict	60
tidy_identify_variables	62
tidy_marginal_contrasts	63
tidy_marginal_means	66
tidy_marginal_predictions	67
tidy_margins	70
tidy_multgee	72
tidy_parameters	73
tidy_plus_plus	74
tidy_remove_intercept	77
tidy_select_variables	78
tidy_with_broom_or_parameters	79
tidy_zeroinfl	80
Index	82

<code>.clean_backticks</code>	<i>Remove backticks around variable names</i>
-------------------------------	---

Description

Remove backticks around variable names

Usage

```
.clean_backticks(x, variable_names = x)
```

Arguments

`x` a character vector to be cleaned

`variable_names` list of variable names, could be obtained with `model_list_variables(only_variable = TRUE)` to properly take into account interaction only terms/variables

See Also

Other other_helpers: `.escape_regex()`

<code>.escape_regex</code>	<i>Escapes any characters that would have special meaning in a regular expression</i>
----------------------------	---

Description

This functions has been adapted from `Hmisc::escapeRegex()`

Usage

```
.escape_regex(string)
```

Arguments

`string` a character vector

See Also

Other other_helpers: [.clean_backticks\(\)](#)

<code>.formula_list_to_named_list</code>	<i>Convert formula selector to a named list</i>
--	---

Description

Functions takes a list of formulas, a named list, or a combination of named elements with formula elements and returns a named list. For example, `list(age = 1, starts_with("stage") ~ 2)`.

Usage

```
.formula_list_to_named_list(
  x,
  data = NULL,
  var_info = NULL,
  arg_name = NULL,
  select_single = FALSE,
  type_check = NULL,
  type_check_msg = NULL,
  null_allowed = TRUE
)
```

Arguments

x	list of selecting formulas
data	A data frame to select columns from. Default is NULL
var_info	A data frame of variable names and attributes. May also pass a character vector of variable names. Default is NULL
arg_name	Optional string indicating the source argument name. This helps in the error messaging. Default is NULL.
select_single	Logical indicating whether the result must be a single variable. Default is FALSE
type_check	A predicate function that checks the elements passed on the RHS of the formulas in x= (or the element in a named list) satisfy the function.
type_check_msg	When the type_check= fails, the string provided here will be printed as the error message. When NULL, a generic error message will be printed.
null_allowed	Are NULL values accepted for the right hand side of formulas?

Shortcuts

A shortcut for specifying an option be applied to all columns/variables is omitting the LHS of the formula. For example, list(~ 1) is equivalent to passing list(everything() ~ 1).

Additionally, a single formula may be passed instead of placing a single formula in a list; e.g. everything() ~ 1 is equivalent to passing list(everything() ~ 1)

.generic_selector *Generate a custom selector function*

Description

Generate a custom selector function

Usage

.generic_selector(variable_column, select_column, select_expr, fun_name)

.is_selector_scoped(variable_column, select_column)

Arguments

variable_column	string indicating column variable names are stored
select_column	character vector of columns used in the select_expr= argument
select_expr	unquoted predicate command to subset a data frame to select variables
fun_name	quoted name of function where .generic_selector() is being used. This helps with error messaging.

Details

`.is_selector_scoped()` checks if a selector has been properly registered in `env_variable_type$df_var_info`.

Value

custom selector functions

`.select_to_varnames` *Variable selector*

Description

Function takes `select()`-like inputs and converts the selector to a character vector of variable names. Functions accepts tidyselect syntax, and additional selector functions defined within the package

Usage

```
.select_to_varnames(
  select,
  data = NULL,
  var_info = NULL,
  arg_name = NULL,
  select_single = FALSE
)
```

Arguments

<code>select</code>	A single object selecting variables, e.g. <code>c(age, stage)</code> , <code>starts_with("age")</code>
<code>data</code>	A data frame to select columns from. Default is <code>NULL</code>
<code>var_info</code>	A data frame of variable names and attributes. May also pass a character vector of variable names. Default is <code>NULL</code>
<code>arg_name</code>	Optional string indicating the source argument name. This helps in the error messaging. Default is <code>NULL</code> .
<code>select_single</code>	Logical indicating whether the result must be a single variable. Default is <code>FALSE</code>

Value

A character vector of variable names

`assert_package`*Check a package installation status or minimum required version*

Description

The function `.assert_package()` checks whether a package is installed and returns an error or `FALSE` if not available. If a package search is provided, the function will check whether a minimum version of a package is required. The function `.get_package_dependencies()` returns a tibble with all dependencies of a specific package. Finally, `.get_min_version_required()` will return, if any, the minimum version of `pkg` required by `pkg_search`, `NULL` if no minimum version required.

Usage

```
.assert_package(pkg, fn = NULL, pkg_search = "broom.helpers", boolean = FALSE)

.get_package_dependencies(pkg_search = "broom.helpers")

.get_all_packages_dependencies(
  pkg_search = NULL,
  remove_duplicates = FALSE,
  lib.loc = NULL
)

.get_min_version_required(pkg, pkg_search = "broom.helpers")
```

Arguments

<code>pkg</code>	Package required
<code>fn</code>	Calling function from the user perspective. Used to write informative error messages.
<code>pkg_search</code>	the package the function will search for a minimum required version from.
<code>boolean</code>	logical indicating whether to return a <code>TRUE/FALSE</code> , rather than error when package/package version not available. Default is <code>FALSE</code> , which will return an error if <code>pkg</code> is not installed.
<code>remove_duplicates</code>	if several versions of a package are installed, should only the first one be returned?
<code>lib.loc</code>	location of R library trees to search through, see <code>utils::installed.packages()</code> .

Details

`get_all_packages_dependencies()` could be used to get the list of dependencies of all installed packages.

Value

logical or error for `.assert_package()`, NULL or character with the minimum version required for `.get_min_version_required()`, a tibble for `.get_package_dependencies()`.

Examples

```
.assert_package("broom", boolean = TRUE)
.get_package_dependencies()
.get_min_version_required("brms")
```

model_compute_terms_contributions

Compute a matrix of terms contributions

Description

Used for `model_get_n()`. For each row and term, equal 1 if this row should be taken into account in the estimate of the number of observations, 0 otherwise.

Usage

```
model_compute_terms_contributions(model)

## Default S3 method:
model_compute_terms_contributions(model)
```

Arguments

model a model object

Details

This function does not cover lavaan models (NULL is returned).

See Also

Other `model_helpers`: [model_get_assign\(\)](#), [model_get_coefficients_type\(\)](#), [model_get_contrasts\(\)](#), [model_get_model_frame\(\)](#), [model_get_model_matrix\(\)](#), [model_get_model\(\)](#), [model_get_nlevels\(\)](#), [model_get_n\(\)](#), [model_get_offset\(\)](#), [model_get_pairwise_contrasts\(\)](#), [model_get_response_variable\(\)](#), [model_get_response\(\)](#), [model_get_terms\(\)](#), [model_get_weights\(\)](#), [model_get_xlevels\(\)](#), [model_identify_variables\(\)](#), [model_list_contrasts\(\)](#), [model_list_higher_order_variables\(\)](#), [model_list_terms_levels\(\)](#), [model_list_variables\(\)](#)

Examples

```

mod <- lm(Sepal.Length ~ Sepal.Width, iris)
mod %>% model_compute_terms_contributions()

mod <- lm(hp ~ mpg + factor(cyl) + disp:hp, mtcars)
mod %>% model_compute_terms_contributions()

mod <- glm(
  response ~ stage * grade + trt,
  gtsummary::trial,
  family = binomial,
  contrasts = list(
    stage = contr.sum,
    grade = contr.treatment(3, 2),
    trt = "contr.SAS"
  )
)
mod %>% model_compute_terms_contributions()

mod <- glm(
  response ~ stage * trt,
  gtsummary::trial,
  family = binomial,
  contrasts = list(stage = contr.poly)
)
mod %>% model_compute_terms_contributions()

mod <- glm(
  Survived ~ Class * Age + Sex,
  data = Titanic %>% as.data.frame(),
  weights = Freq, family = binomial
)
mod %>% model_compute_terms_contributions()

d <- dplyr::as_tibble(Titanic) %>%
  dplyr::group_by(Class, Sex, Age) %>%
  dplyr::summarise(
    n_survived = sum(n * (Survived == "Yes")),
    n_dead = sum(n * (Survived == "No"))
  )
mod <- glm(cbind(n_survived, n_dead) ~ Class * Age + Sex, data = d, family = binomial)
mod %>% model_compute_terms_contributions()

```

model_get_assign

Get the assign attribute of model matrix of a model

Description

Return the assign attribute attached to the object returned by `stats::model.matrix()`.

Usage

```

model_get_assign(model)

## Default S3 method:
model_get_assign(model)

## S3 method for class 'vglm'
model_get_assign(model)

## S3 method for class 'model_fit'
model_get_assign(model)

```

Arguments

```

model          a model object

```

See Also

```

stats::model.matrix()

```

Other `model_helpers`: `model_compute_terms_contributions()`, `model_get_coefficients_type()`, `model_get_contrasts()`, `model_get_model_frame()`, `model_get_model_matrix()`, `model_get_model()`, `model_get_nlevels()`, `model_get_n()`, `model_get_offset()`, `model_get_pairwise_contrasts()`, `model_get_response_variable()`, `model_get_response()`, `model_get_terms()`, `model_get_weights()`, `model_get_xlevels()`, `model_identify_variables()`, `model_list_contrasts()`, `model_list_higher_order_variables()`, `model_list_terms_levels()`, `model_list_variables()`

Examples

```

lm(hp ~ mpg + factor(cyl), mtcars) %>%
  model_get_assign()

```

```

model_get_coefficients_type
      Get coefficient type

```

Description

Indicate the type of coefficient among "generic", "logistic", "poisson", "relative_risk" or "prop_hazard".

Usage

```

model_get_coefficients_type(model)

## Default S3 method:
model_get_coefficients_type(model)

## S3 method for class 'glm'

```

```
model_get_coefficients_type(model)

## S3 method for class 'negbin'
model_get_coefficients_type(model)

## S3 method for class 'geeglm'
model_get_coefficients_type(model)

## S3 method for class 'fixest'
model_get_coefficients_type(model)

## S3 method for class 'biglm'
model_get_coefficients_type(model)

## S3 method for class 'glmerMod'
model_get_coefficients_type(model)

## S3 method for class 'clogit'
model_get_coefficients_type(model)

## S3 method for class 'polr'
model_get_coefficients_type(model)

## S3 method for class 'multinom'
model_get_coefficients_type(model)

## S3 method for class 'svyolr'
model_get_coefficients_type(model)

## S3 method for class 'clm'
model_get_coefficients_type(model)

## S3 method for class 'clmm'
model_get_coefficients_type(model)

## S3 method for class 'coxph'
model_get_coefficients_type(model)

## S3 method for class 'crr'
model_get_coefficients_type(model)

## S3 method for class 'tidycrr'
model_get_coefficients_type(model)

## S3 method for class 'model_fit'
model_get_coefficients_type(model)

## S3 method for class 'LORgee'
```

```
model_get_coefficients_type(model)
```

Arguments

model a model object

See Also

Other `model_helpers`: [model_compute_terms_contributions\(\)](#), [model_get_assign\(\)](#), [model_get_contrasts\(\)](#), [model_get_model_frame\(\)](#), [model_get_model_matrix\(\)](#), [model_get_model\(\)](#), [model_get_nlevels\(\)](#), [model_get_n\(\)](#), [model_get_offset\(\)](#), [model_get_pairwise_contrasts\(\)](#), [model_get_response_variable\(\)](#), [model_get_response\(\)](#), [model_get_terms\(\)](#), [model_get_weights\(\)](#), [model_get_xlevels\(\)](#), [model_identify_variables\(\)](#), [model_list_contrasts\(\)](#), [model_list_higher_order_variables\(\)](#), [model_list_terms_levels\(\)](#), [model_list_variables\(\)](#)

Examples

```
lm(hp ~ mpg + factor(cyl), mtcars) %>%
  model_get_coefficients_type()

Titanic %>%
  dplyr::as_tibble() %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes"))) %>%
  glm(Survived ~ Class + Age * Sex, data = ., weights = .$n, family = binomial) %>%
  model_get_coefficients_type()
```

model_get_contrasts *Get contrasts used in the model*

Description

Get contrasts used in the model

Usage

```
model_get_contrasts(model)

## S3 method for class 'model_fit'
model_get_contrasts(model)

## S3 method for class 'zeroinfl'
model_get_contrasts(model)

## S3 method for class 'hurdle'
model_get_contrasts(model)

## S3 method for class 'betareg'
model_get_contrasts(model)
```

Arguments

model a model object

See Also

Other model_helpers: [model_compute_terms_contributions\(\)](#), [model_get_assign\(\)](#), [model_get_coefficients_type\(\)](#), [model_get_model_frame\(\)](#), [model_get_model_matrix\(\)](#), [model_get_model\(\)](#), [model_get_nlevels\(\)](#), [model_get_n\(\)](#), [model_get_offset\(\)](#), [model_get_pairwise_contrasts\(\)](#), [model_get_response_variable\(\)](#), [model_get_response\(\)](#), [model_get_terms\(\)](#), [model_get_weights\(\)](#), [model_get_xlevels\(\)](#), [model_identify_variables\(\)](#), [model_list_contrasts\(\)](#), [model_list_higher_order_variables\(\)](#), [model_list_terms_levels\(\)](#), [model_list_variables\(\)](#)

Examples

```
glm(
  am ~ mpg + factor(cyl),
  data = mtcars,
  family = binomial,
  contrasts = list(`factor(cyl)` = contr.sum)
) %>%
  model_get_contrasts()
```

model_get_model	<i>Get the model from model objects</i>
-----------------	---

Description

Most model objects are proper R model objects. There are, however, some model objects that store the proper object internally (e.g. mice models). This function extracts that model object in those cases.

Usage

```
model_get_model(model)

## Default S3 method:
model_get_model(model)

## S3 method for class 'mira'
model_get_model(model)
```

Arguments

model a model object

See Also

Other `model_helpers`: `model_compute_terms_contributions()`, `model_get_assign()`, `model_get_coefficients_type()`, `model_get_contrasts()`, `model_get_model_frame()`, `model_get_model_matrix()`, `model_get_nlevels()`, `model_get_n()`, `model_get_offset()`, `model_get_pairwise_contrasts()`, `model_get_response_variable()`, `model_get_response()`, `model_get_terms()`, `model_get_weights()`, `model_get_xlevels()`, `model_identify_variables()`, `model_list_contrasts()`, `model_list_higher_order_variables()`, `model_list_terms_levels()`, `model_list_variables()`

Examples

```
lm(hp ~ mpg + factor(cyl), mtcars) %>%
  model_get_model_frame()
```

`model_get_model_frame` *Get the model frame of a model*

Description

The structure of the object returned by `stats::model.frame()` could slightly differ for certain types of models. `model_get_model_frame()` will always return an object with the same data structure or NULL if it is not possible to compute model frame from model.

Usage

```
model_get_model_frame(model)

## Default S3 method:
model_get_model_frame(model)

## S3 method for class 'coxph'
model_get_model_frame(model)

## S3 method for class 'survreg'
model_get_model_frame(model)

## S3 method for class 'biglm'
model_get_model_frame(model)

## S3 method for class 'model_fit'
model_get_model_frame(model)

## S3 method for class 'fixest'
model_get_model_frame(model)
```

Arguments

`model` a model object

See Also

`stats::model.frame()`

Other `model_helpers`: `model_compute_terms_contributions()`, `model_get_assign()`, `model_get_coefficients_type()`, `model_get_contrasts()`, `model_get_model_matrix()`, `model_get_model()`, `model_get_nlevels()`, `model_get_n()`, `model_get_offset()`, `model_get_pairwise_contrasts()`, `model_get_response_variable()`, `model_get_response()`, `model_get_terms()`, `model_get_weights()`, `model_get_xlevels()`, `model_identify_variables()`, `model_list_contrasts()`, `model_list_higher_order_variables()`, `model_list_terms_levels()`, `model_list_variables()`

Examples

```
lm(hp ~ mpg + factor(cyl), mtcars) %>%
  model_get_model_frame() %>%
  head()
```

`model_get_model_matrix`

Get the model matrix of a model

Description

The structure of the object returned by `stats::model.matrix()` could slightly differ for certain types of models. `model_get_model_matrix()` will always return an object with the same structure as `stats::model.matrix.default()`.

Usage

```
model_get_model_matrix(model, ...)

## Default S3 method:
model_get_model_matrix(model, ...)

## S3 method for class 'multinom'
model_get_model_matrix(model, ...)

## S3 method for class 'clm'
model_get_model_matrix(model, ...)

## S3 method for class 'brmsfit'
model_get_model_matrix(model, ...)

## S3 method for class 'glmmTMB'
model_get_model_matrix(model, ...)

## S3 method for class 'plm'
model_get_model_matrix(model, ...)
```

```
## S3 method for class 'biglm'
model_get_model_matrix(model, ...)

## S3 method for class 'model_fit'
model_get_model_matrix(model, ...)

## S3 method for class 'fixest'
model_get_model_matrix(model, ...)

## S3 method for class 'LORgee'
model_get_model_matrix(model, ...)

## S3 method for class 'betareg'
model_get_model_matrix(model, ...)
```

Arguments

model	a model object
...	additional arguments passed to <code>stats::model.matrix()</code>

Details

For models fitted with `glmmTMB::glmmTMB()`, it will return a model matrix taking into account all components ("cond", "zi" and "disp"). For a more restricted model matrix, please refer to `glmmTMB::model.matrix.glmmTMB()`.

For `plm::plm()` models, constant columns are not removed.

See Also

`stats::model.matrix()`

Other `model_helpers`: `model_compute_terms_contributions()`, `model_get_assign()`, `model_get_coefficients_type()`, `model_get_contrasts()`, `model_get_model_frame()`, `model_get_model()`, `model_get_nlevels()`, `model_get_n()`, `model_get_offset()`, `model_get_pairwise_contrasts()`, `model_get_response_variable()`, `model_get_response()`, `model_get_terms()`, `model_get_weights()`, `model_get_xlevels()`, `model_identify_variables()`, `model_list_contrasts()`, `model_list_higher_order_variables()`, `model_list_terms_levels()`, `model_list_variables()`

Examples

```
lm(hp ~ mpg + factor(cyl), mtcars) %>%
  model_get_model_matrix() %>%
  head()
```

model_get_n	<i>Get the number of observations</i>
-------------	---------------------------------------

Description

For binomial and multinomial logistic models, will also return the number of events.

Usage

```
model_get_n(model)

## Default S3 method:
model_get_n(model)

## S3 method for class 'glm'
model_get_n(model)

## S3 method for class 'glmerMod'
model_get_n(model)

## S3 method for class 'multinom'
model_get_n(model)

## S3 method for class 'LORgee'
model_get_n(model)

## S3 method for class 'coxph'
model_get_n(model)

## S3 method for class 'survreg'
model_get_n(model)

## S3 method for class 'model_fit'
model_get_n(model)

## S3 method for class 'tidycrr'
model_get_n(model)
```

Arguments

model a model object

Details

For Poisson models, will return the number of events and exposure time (defined with `stats::offset()`).

For Cox models (`survival::coxph()`), will return the number of events and exposure time.

For competing risk regression models (`tidycmprsk::crr()`), `n_event` takes into account only the event of interest defined by `failcode`.

See `tidy_add_n()` for more details.

The total number of observations (`N_obs`), of events (`N_event`) and of exposure time (`Exposure`) are stored as attributes of the returned tibble.

This function does not cover lavaan models (NULL is returned).

See Also

Other `model_helpers`: `model_compute_terms_contributions()`, `model_get_assign()`, `model_get_coefficients_type()`, `model_get_contrasts()`, `model_get_model_frame()`, `model_get_model_matrix()`, `model_get_model()`, `model_get_nlevels()`, `model_get_offset()`, `model_get_pairwise_contrasts()`, `model_get_response_variable()`, `model_get_response()`, `model_get_terms()`, `model_get_weights()`, `model_get_xlevels()`, `model_identify_variables()`, `model_list_contrasts()`, `model_list_higher_order_variables()`, `model_list_terms_levels()`, `model_list_variables()`

Examples

```
lm(hp ~ mpg + factor(cyl) + disp:hp, mtcars) %>%
  model_get_n()

mod <- glm(
  response ~ stage * grade + trt,
  gtsummary::trial,
  family = binomial,
  contrasts = list(stage = contr.sum, grade = contr.treatment(3, 2), trt = "contr.SAS")
)
mod %>% model_get_n()

## Not run:
mod <- glm(
  Survived ~ Class * Age + Sex,
  data = Titanic %>% as.data.frame(),
  weights = Freq, family = binomial
)
mod %>% model_get_n()

d <- dplyr::as_tibble(Titanic) %>%
  dplyr::group_by(Class, Sex, Age) %>%
  dplyr::summarise(
    n_survived = sum(n * (Survived == "Yes")),
    n_dead = sum(n * (Survived == "No"))
  )
mod <- glm(cbind(n_survived, n_dead) ~ Class * Age + Sex, data = d, family = binomial)
mod %>% model_get_n()

mod <- glm(response ~ age + grade * trt, gtsummary::trial, family = poisson)
mod %>% model_get_n()

mod <- glm(
  response ~ trt * grade + offset(ttdeath),
```

```

    gtsummary::trial,
    family = poisson
  )
  mod %>% model_get_n()

  dont
  df <- survival::lung %>% dplyr::mutate(sex = factor(sex))
  mod <- survival::coxph(survival::Surv(time, status) ~ ph.ecog + age + sex, data = df)
  mod %>% model_get_n()

  mod <- lme4::lmer(Reaction ~ Days + (Days | Subject), lme4::sleepstudy)
  mod %>% model_get_n()

  mod <- lme4::glmer(response ~ trt * grade + (1 | stage),
    family = binomial, data = gtsummary::trial
  )
  mod %>% model_get_n()

  mod <- lme4::glmer(cbind(incidence, size - incidence) ~ period + (1 | herd),
    family = binomial, data = lme4::cbpp
  )
  mod %>% model_get_n()

  ## End(Not run)

```

model_get_nlevels	<i>Get the number of levels for each factor used in xlevels</i>
-------------------	---

Description

Get the number of levels for each factor used in xlevels

Usage

```
model_get_nlevels(model)
```

```
## Default S3 method:
model_get_nlevels(model)
```

Arguments

model a model object

Value

a tibble with two columns: "variable" and "var_nlevels"

See Also

Other `model_helpers`: `model_compute_terms_contributions()`, `model_get_assign()`, `model_get_coefficients_type()`, `model_get_contrasts()`, `model_get_model_frame()`, `model_get_model_matrix()`, `model_get_model()`, `model_get_n()`, `model_get_offset()`, `model_get_pairwise_contrasts()`, `model_get_response_variable()`, `model_get_response()`, `model_get_terms()`, `model_get_weights()`, `model_get_xlevels()`, `model_identify_variables()`, `model_list_contrasts()`, `model_list_higher_order_variables()`, `model_list_terms_levels()`, `model_list_variables()`

Examples

```
lm(hp ~ mpg + factor(cyl), mtcars) %>%
  model_get_nlevels()
```

model_get_offset	<i>Get model offset</i>
------------------	-------------------------

Description

This function does not cover lavaan models (NULL is returned).

Usage

```
model_get_offset(model)
```

```
## Default S3 method:
model_get_offset(model)
```

Arguments

```
model          a model object
```

See Also

Other `model_helpers`: `model_compute_terms_contributions()`, `model_get_assign()`, `model_get_coefficients_type()`, `model_get_contrasts()`, `model_get_model_frame()`, `model_get_model_matrix()`, `model_get_model()`, `model_get_nlevels()`, `model_get_n()`, `model_get_pairwise_contrasts()`, `model_get_response_variable()`, `model_get_response()`, `model_get_terms()`, `model_get_weights()`, `model_get_xlevels()`, `model_identify_variables()`, `model_list_contrasts()`, `model_list_higher_order_variables()`, `model_list_terms_levels()`, `model_list_variables()`

Examples

```
mod <- glm(
  response ~ trt + offset(log(ttdeath)),
  gtsummary::trial,
  family = poisson
)
mod %>% model_get_offset()
```

 model_get_pairwise_contrasts

Get pairwise comparison of the levels of a categorical variable

Description

It is computed with `emmeans::emmeans()`.

Usage

```
model_get_pairwise_contrasts(
  model,
  variables,
  pairwise_reverse = TRUE,
  contrasts_adjust = NULL,
  conf.level = 0.95,
  emmeans_args = list()
)
```

Arguments

model	a model object
variables	names of variables to add pairwise contrasts
pairwise_reverse	determines whether to use "pairwise" (if TRUE) or "revpairwise" (if FALSE), see <code>emmeans::contrast()</code>
contrasts_adjust	optional adjustment method when computing contrasts, see <code>emmeans::contrast()</code> (if NULL, use emmeans default)
conf.level	level of confidence for confidence intervals
emmeans_args	list of additional parameter to pass to <code>emmeans::emmeans()</code> when computing pairwise contrasts

Details

[Experimental] For `pscl::zeroinfl()` and `pscl::hurdle()` models, pairwise contrasts are computed separately for each component, using `mode = "count"` and `mode = "zero"` (see documentation of `emmeans`) and a component column is added to the results. This support is still experimental.

See Also

Other `model_helpers`: `model_compute_terms_contributions()`, `model_get_assign()`, `model_get_coefficients_type()`, `model_get_contrasts()`, `model_get_model_frame()`, `model_get_model_matrix()`, `model_get_model()`, `model_get_nlevels()`, `model_get_n()`, `model_get_offset()`, `model_get_response_variable()`, `model_get_response()`, `model_get_terms()`, `model_get_weights()`, `model_get_xlevels()`, `model_identify_variables()`, `model_list_contrasts()`, `model_list_higher_order_variables()`, `model_list_terms_levels()`, `model_list_variables()`

Examples

```
if (.assert_package("emmeans", boolean = TRUE)) {  
  mod <- lm(Sepal.Length ~ Species, data = iris)  
  mod %>% model_get_pairwise_contrasts(variables = "Species")  
  mod %>%  
    model_get_pairwise_contrasts(  
      variables = "Species",  
      contrasts_adjust = "none"  
    )  
}
```

model_get_response	<i>Get model response</i>
--------------------	---------------------------

Description

This function does not cover lavaan models (NULL is returned).

Usage

```
model_get_response(model)  
  
## Default S3 method:  
model_get_response(model)  
  
## S3 method for class 'glm'  
model_get_response(model)  
  
## S3 method for class 'glmerMod'  
model_get_response(model)  
  
## S3 method for class 'model_fit'  
model_get_response(model)
```

Arguments

model a model object

See Also

Other model_helpers: [model_compute_terms_contributions\(\)](#), [model_get_assign\(\)](#), [model_get_coefficients_type\(\)](#), [model_get_contrasts\(\)](#), [model_get_model_frame\(\)](#), [model_get_model_matrix\(\)](#), [model_get_model\(\)](#), [model_get_nlevels\(\)](#), [model_get_n\(\)](#), [model_get_offset\(\)](#), [model_get_pairwise_contrasts\(\)](#), [model_get_response_variable\(\)](#), [model_get_terms\(\)](#), [model_get_weights\(\)](#), [model_get_xlevels\(\)](#), [model_identify_variables\(\)](#), [model_list_contrasts\(\)](#), [model_list_higher_order_variables\(\)](#), [model_list_terms_levels\(\)](#), [model_list_variables\(\)](#)

Examples

```
lm(hp ~ mpg + factor(cyl) + disp:hp, mtcars) %>%
  model_get_response()

mod <- glm(
  response ~ stage * grade + trt,
  gtsummary::trial,
  family = binomial,
  contrasts = list(stage = contr.sum, grade = contr.treatment(3, 2), trt = "contr.SAS")
)
mod %>% model_get_response()

mod <- glm(
  Survived ~ Class * Age + Sex,
  data = Titanic %>% as.data.frame(),
  weights = Freq,
  family = binomial
)
mod %>% model_get_response()

d <- dplyr::as_tibble(Titanic) %>%
  dplyr::group_by(Class, Sex, Age) %>%
  dplyr::summarise(
    n_survived = sum(n * (Survived == "Yes")),
    n_dead = sum(n * (Survived == "No"))
  )
mod <- glm(cbind(n_survived, n_dead) ~ Class * Age + Sex, data = d, family = binomial, y = FALSE)
mod %>% model_get_response()
```

model_get_response_variable

Get the name of the response variable

Description

Get the name of the response variable

Usage

```
model_get_response_variable(model)
```

```
## Default S3 method:
model_get_response_variable(model)
```

Arguments

model a model object

See Also

Other `model_helpers`: `model_compute_terms_contributions()`, `model_get_assign()`, `model_get_coefficients_type()`, `model_get_contrasts()`, `model_get_model_frame()`, `model_get_model_matrix()`, `model_get_model()`, `model_get_nlevels()`, `model_get_n()`, `model_get_offset()`, `model_get_pairwise_contrasts()`, `model_get_response()`, `model_get_terms()`, `model_get_weights()`, `model_get_xlevels()`, `model_identify_variables()`, `model_list_contrasts()`, `model_list_higher_order_variables()`, `model_list_terms_levels()`, `model_list_variables()`

Examples

```
lm(hp ~ mpg + factor(cyl) + disp:hp, mtcars) %>%
  model_get_response_variable()

mod <- glm(
  response ~ stage * grade + trt,
  gtsummary::trial,
  family = binomial
)
mod %>% model_get_response_variable()

mod <- glm(
  Survived ~ Class * Age + Sex,
  data = Titanic %>% as.data.frame(),
  weights = Freq,
  family = binomial
)
mod %>% model_get_response_variable()
```

model_get_terms	<i>Get the terms of a model</i>
-----------------	---------------------------------

Description

Return the result of `stats::terms()` applied to the model or NULL if it is not possible to get terms from model.

Usage

```
model_get_terms(model)

## Default S3 method:
model_get_terms(model)

## S3 method for class 'brmsfit'
model_get_terms(model)

## S3 method for class 'glmmTMB'
model_get_terms(model)
```



```
## S3 method for class 'model_fit'
model_get_terms(model)

## S3 method for class 'betareg'
model_get_terms(model)
```

Arguments

model a model object

Details

For models fitted with `glmmTMB::glmmTMB()`, it will return a terms object taking into account all components ("cond" and "zi"). For a more restricted terms object, please refer to `glmmTMB::terms.glmmTMB()`.

See Also

[stats::terms\(\)](#)

Other `model_helpers`: [model_compute_terms_contributions\(\)](#), [model_get_assign\(\)](#), [model_get_coefficients_type\(\)](#), [model_get_contrasts\(\)](#), [model_get_model_frame\(\)](#), [model_get_model_matrix\(\)](#), [model_get_model\(\)](#), [model_get_nlevels\(\)](#), [model_get_n\(\)](#), [model_get_offset\(\)](#), [model_get_pairwise_contrasts\(\)](#), [model_get_response_variable\(\)](#), [model_get_response\(\)](#), [model_get_weights\(\)](#), [model_get_xlevels\(\)](#), [model_identify_variables\(\)](#), [model_list_contrasts\(\)](#), [model_list_higher_order_variables\(\)](#), [model_list_terms_levels\(\)](#), [model_list_variables\(\)](#)

Examples

```
lm(hp ~ mpg + factor(cyl), mtcars) %>%
  model_get_weights()
```

<code>model_get_weights</code>	<i>Get sampling weights used by a model</i>
--------------------------------	---

Description

This function does not cover lavaan models (NULL is returned).

Usage

```
model_get_weights(model)

## Default S3 method:
model_get_weights(model)

## S3 method for class 'svyglm'
model_get_weights(model)
```

```
## S3 method for class 'model_fit'
model_get_weights(model)
```

Arguments

model a model object

See Also

Other model_helpers: [model_compute_terms_contributions\(\)](#), [model_get_assign\(\)](#), [model_get_coefficients_type\(\)](#), [model_get_contrasts\(\)](#), [model_get_model_frame\(\)](#), [model_get_model_matrix\(\)](#), [model_get_model\(\)](#), [model_get_nlevels\(\)](#), [model_get_n\(\)](#), [model_get_offset\(\)](#), [model_get_pairwise_contrasts\(\)](#), [model_get_response_variable\(\)](#), [model_get_response\(\)](#), [model_get_terms\(\)](#), [model_get_xlevels\(\)](#), [model_identify_variables\(\)](#), [model_list_contrasts\(\)](#), [model_list_higher_order_variables\(\)](#), [model_list_terms_levels\(\)](#), [model_list_variables\(\)](#)

Examples

```
mod <- lm(Sepal.Length ~ Sepal.Width, iris)
mod %>% model_get_weights()

mod <- lm(hp ~ mpg + factor(cyl) + disp:hp, mtcars, weights = mtcars$gear)
mod %>% model_get_weights()

mod <- glm(
  response ~ stage * grade + trt,
  gtsummary::trial,
  family = binomial
)
mod %>% model_get_weights()

mod <- glm(
  Survived ~ Class * Age + Sex,
  data = Titanic %>% as.data.frame(),
  weights = Freq,
  family = binomial
)
mod %>% model_get_weights()

d <- dplyr::as_tibble(Titanic) %>%
  dplyr::group_by(Class, Sex, Age) %>%
  dplyr::summarise(
    n_survived = sum(n * (Survived == "Yes")),
    n_dead = sum(n * (Survived == "No"))
  )
mod <- glm(cbind(n_survived, n_dead) ~ Class * Age + Sex, data = d, family = binomial)
mod %>% model_get_weights()
```

model_get_xlevels	<i>Get xlevels used in the model</i>
-------------------	--------------------------------------

Description

Get xlevels used in the model

Usage

```
model_get_xlevels(model)

## Default S3 method:
model_get_xlevels(model)

## S3 method for class 'lmerMod'
model_get_xlevels(model)

## S3 method for class 'glmerMod'
model_get_xlevels(model)

## S3 method for class 'felm'
model_get_xlevels(model)

## S3 method for class 'brmsfit'
model_get_xlevels(model)

## S3 method for class 'glmmTMB'
model_get_xlevels(model)

## S3 method for class 'plm'
model_get_xlevels(model)

## S3 method for class 'model_fit'
model_get_xlevels(model)
```

Arguments

model a model object

See Also

Other model_helpers: [model_compute_terms_contributions\(\)](#), [model_get_assign\(\)](#), [model_get_coefficients_type\(\)](#), [model_get_contrasts\(\)](#), [model_get_model_frame\(\)](#), [model_get_model_matrix\(\)](#), [model_get_model\(\)](#), [model_get_nlevels\(\)](#), [model_get_n\(\)](#), [model_get_offset\(\)](#), [model_get_pairwise_contrasts\(\)](#), [model_get_response_variable\(\)](#), [model_get_response\(\)](#), [model_get_terms\(\)](#), [model_get_weights\(\)](#), [model_identify_variables\(\)](#), [model_list_contrasts\(\)](#), [model_list_higher_order_variables\(\)](#), [model_list_terms_levels\(\)](#), [model_list_variables\(\)](#)

Examples

```
lm(hp ~ mpg + factor(cyl), mtcars) %>%  
  model_get_xlevels()
```

model_identify_variables

Identify for each coefficient of a model the corresponding variable

Description

It will also identify interaction terms and intercept(s).

Usage

```
model_identify_variables(model)  
  
## Default S3 method:  
model_identify_variables(model)  
  
## S3 method for class 'lavaan'  
model_identify_variables(model)  
  
## S3 method for class 'aov'  
model_identify_variables(model)  
  
## S3 method for class 'clm'  
model_identify_variables(model)  
  
## S3 method for class 'clmm'  
model_identify_variables(model)  
  
## S3 method for class 'gam'  
model_identify_variables(model)  
  
## S3 method for class 'model_fit'  
model_identify_variables(model)  
  
## S3 method for class 'logitr'  
model_identify_variables(model)
```

Arguments

model a model object

Value

A tibble with four columns:

- term: coefficients of the model
- variable: the corresponding variable
- var_class: class of the variable (cf. `stats::.MFclass()`)
- var_type: "continuous", "dichotomous" (categorical variable with 2 levels), "categorical" (categorical variable with 3 or more levels), "intercept" or "interaction"
- var_nlevels: number of original levels for categorical variables

See Also

`tidy_identify_variables()`

Other model_helpers: `model_compute_terms_contributions()`, `model_get_assign()`, `model_get_coefficients_type()`, `model_get_contrasts()`, `model_get_model_frame()`, `model_get_model_matrix()`, `model_get_model()`, `model_get_nlevels()`, `model_get_n()`, `model_get_offset()`, `model_get_pairwise_contrasts()`, `model_get_response_variable()`, `model_get_response()`, `model_get_terms()`, `model_get_weights()`, `model_get_xlevels()`, `model_list_contrasts()`, `model_list_higher_order_variables()`, `model_list_terms_levels()`, `model_list_variables()`

Examples

```
Titanic %>%
  dplyr::as_tibble() %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes"))) %>%
  glm(
    Survived ~ Class + Age * Sex,
    data = ., weights = .$n,
    family = binomial
  ) %>%
  model_identify_variables()

iris %>%
  lm(
    Sepal.Length ~ poly(Sepal.Width, 2) + Species,
    data = .,
    contrasts = list(Species = contr.sum)
  ) %>%
  model_identify_variables()
```

`model_list_contrasts` *List contrasts used by a model*

Description

List contrasts used by a model

Usage

```
model_list_contrasts(model)

## Default S3 method:
model_list_contrasts(model)
```

Arguments

model a model object

Details

For models with no intercept, no contrasts will be applied to one of the categorical variable. In such case, one dummy term will be returned for each level of the categorical variable.

Value

A tibble with three columns:

- variable: variable name
- contrasts: contrasts used
- contrasts_type: type of contrasts ("treatment", "sum", "poly", "helmert", "sdiff", "other" or "no.contrast")
- reference: for variables with treatment, SAS or sum contrasts, position of the reference level

See Also

Other `model_helpers`: [model_compute_terms_contributions\(\)](#), [model_get_assign\(\)](#), [model_get_coefficients_type\(\)](#), [model_get_contrasts\(\)](#), [model_get_model_frame\(\)](#), [model_get_model_matrix\(\)](#), [model_get_model\(\)](#), [model_get_nlevels\(\)](#), [model_get_n\(\)](#), [model_get_offset\(\)](#), [model_get_pairwise_contrasts\(\)](#), [model_get_response_variable\(\)](#), [model_get_response\(\)](#), [model_get_terms\(\)](#), [model_get_weights\(\)](#), [model_get_xlevels\(\)](#), [model_identify_variables\(\)](#), [model_list_higher_order_variables\(\)](#), [model_list_terms_levels\(\)](#), [model_list_variables\(\)](#)

Examples

```
glm(
  am ~ mpg + factor(cyl),
  data = mtcars,
  family = binomial,
  contrasts = list(`factor(cyl)` = contr.sum)
) %>%
  model_list_contrasts()
```

`model_list_higher_order_variables`*List higher order variables of a model*

Description

List higher order variables of a model

Usage

```
model_list_higher_order_variables(model)
```

```
## Default S3 method:
```

```
model_list_higher_order_variables(model)
```

Arguments

`model` a model object

See Also

Other `model_helpers`: [model_compute_terms_contributions\(\)](#), [model_get_assign\(\)](#), [model_get_coefficients_type\(\)](#), [model_get_contrasts\(\)](#), [model_get_model_frame\(\)](#), [model_get_model_matrix\(\)](#), [model_get_model\(\)](#), [model_get_nlevels\(\)](#), [model_get_n\(\)](#), [model_get_offset\(\)](#), [model_get_pairwise_contrasts\(\)](#), [model_get_response_variable\(\)](#), [model_get_response\(\)](#), [model_get_terms\(\)](#), [model_get_weights\(\)](#), [model_get_xlevels\(\)](#), [model_identify_variables\(\)](#), [model_list_contrasts\(\)](#), [model_list_terms_levels\(\)](#), [model_list_variables\(\)](#)

Examples

```
lm(hp ~ mpg + factor(cyl) + disp:hp, mtcars) %>%  
  model_list_higher_order_variables()
```

```
mod <- glm(  
  response ~ stage * grade + trt:stage,  
  gtsummary::trial,  
  family = binomial  
)  
mod %>% model_list_higher_order_variables()
```

```
mod <- glm(  
  Survived ~ Class * Age + Sex,  
  data = Titanic %>% as.data.frame(),  
  weights = Freq,  
  family = binomial  
)  
mod %>% model_list_higher_order_variables()
```

```
model_list_terms_levels
```

List levels of categorical terms

Description

Only for categorical variables with treatment, SAS, sum or successive differences contrasts (cf. `MASS::contr.sdif()`), and categorical variables with no contrast.

Usage

```
model_list_terms_levels(
  model,
  label_pattern = "{level}",
  variable_labels = NULL,
  sdif_term_level = c("diff", "ratio")
)

## Default S3 method:
model_list_terms_levels(
  model,
  label_pattern = "{level}",
  variable_labels = NULL,
  sdif_term_level = c("diff", "ratio")
)
```

Arguments

```
model          a model object
label_pattern  a glue pattern for term labels (see examples)
variable_labels
               an optional named list or named vector of custom variable labels passed to
               model\_list\_variables\(\)
sdif_term_level
               for successive differences contrasts, how should term levels be named? "diff"
               for "B - A" (default), "ratio" for "B / A"
```

Value

A tibble with ten columns:

- variable: variable
- contrasts_type: type of contrasts ("sum" or "treatment")
- term: term name
- level: term level
- level_rank: rank of the level

- reference: logical indicating which term is the reference level
- reference_level: level of the reference term
- var_label: variable label obtained with `model_list_variables()`
- var_nlevels: number of levels in this variable
- dichotomous: logical indicating if the variable is dichotomous
- label: term label (by default equal to term level) The first nine columns can be used in `label_pattern`.

See Also

Other `model_helpers`: `model_compute_terms_contributions()`, `model_get_assign()`, `model_get_coefficients_type()`, `model_get_contrasts()`, `model_get_model_frame()`, `model_get_model_matrix()`, `model_get_model()`, `model_get_nlevels()`, `model_get_n()`, `model_get_offset()`, `model_get_pairwise_contrasts()`, `model_get_response_variable()`, `model_get_response()`, `model_get_terms()`, `model_get_weights()`, `model_get_xlevels()`, `model_identify_variables()`, `model_list_contrasts()`, `model_list_higher_order_variables()`, `model_list_variables()`

Examples

```

glm(
  am ~ mpg + factor(cyl),
  data = mtcars,
  family = binomial,
  contrasts = list(`factor(cyl)` = contr.sum)
) %>%
  model_list_terms_levels()

df <- Titanic %>%
  dplyr::as_tibble() %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes")))

mod <- df %>%
  glm(
    Survived ~ Class + Age + Sex,
    data = ., weights = .$n, family = binomial,
    contrasts = list(Age = contr.sum, Class = "contr.helmert")
  )
mod %>% model_list_terms_levels()
mod %>% model_list_terms_levels("{level} vs {reference_level}")
mod %>% model_list_terms_levels("{variable} [{level} - {reference_level}]")
mod %>% model_list_terms_levels(
  "{ifelse(reference, level, paste(level, '-', reference_level))}"
)

```

model_list_variables *List all the variables used in a model*

Description

Including variables used only in an interaction.

Usage

```
model_list_variables(  
  model,  
  labels = NULL,  
  only_variable = FALSE,  
  add_var_type = FALSE  
)  
  
## Default S3 method:  
model_list_variables(  
  model,  
  labels = NULL,  
  only_variable = FALSE,  
  add_var_type = FALSE  
)  
  
## S3 method for class 'lavaan'  
model_list_variables(  
  model,  
  labels = NULL,  
  only_variable = FALSE,  
  add_var_type = FALSE  
)  
  
## S3 method for class 'logitr'  
model_list_variables(  
  model,  
  labels = NULL,  
  only_variable = FALSE,  
  add_var_type = FALSE  
)
```

Arguments

model	a model object
labels	an optional named list or named vector of custom variable labels
only_variable	if TRUE, will return only "variable" column
add_var_type	if TRUE, add var_nlevels and var_type columns

Value

A tibble with three columns:

- `variable`: the corresponding variable
- `var_class`: class of the variable (cf. `stats::.MFclass()`)
- `label_attr`: variable label defined in the original data frame with the label attribute (cf. `labelled::var_label()`)
- `var_label`: a variable label (by priority, labels if defined, `label_attr` if available, otherwise variable)

If `add_var_type = TRUE`:

- `var_type`: "continuous", "dichotomous" (categorical variable with 2 levels), "categorical" (categorical variable with 3 or more levels), "intercept" or "interaction"
- `var_nlevels`: number of original levels for categorical variables

See Also

Other `model_helpers`: `model_compute_terms_contributions()`, `model_get_assign()`, `model_get_coefficients_type()`, `model_get_contrasts()`, `model_get_model_frame()`, `model_get_model_matrix()`, `model_get_model()`, `model_get_nlevels()`, `model_get_n()`, `model_get_offset()`, `model_get_pairwise_contrasts()`, `model_get_response_variable()`, `model_get_response()`, `model_get_terms()`, `model_get_weights()`, `model_get_xlevels()`, `model_identify_variables()`, `model_list_contrasts()`, `model_list_higher_order_variables()`, `model_list_terms_levels()`

Examples

```
if (.assert_package("gtsummary", boolean = TRUE)) {
  Titanic %>%
    dplyr::as_tibble() %>%
    dplyr::mutate(Survived = factor(Survived, c("No", "Yes"))) %>%
    glm(
      Survived ~ Class + Age:Sex,
      data = ., weights = .$n,
      family = binomial
    ) %>%
    model_list_variables()

  iris %>%
    lm(
      Sepal.Length ~ poly(Sepal.Width, 2) + Species,
      data = .,
      contrasts = list(Species = contr.sum)
    ) %>%
    model_list_variables()

  glm(
    response ~ poly(age, 3) + stage + grade * trt,
    na.omit(gtsummary::trial),
```

```
    family = binomial,  
  ) %>%  
  model_list_variables()  
}
```

select_helpers

Select helper functions

Description

Set of functions to supplement the tidyselect set of functions for selecting columns of data frames (and other items as well).

- `all_continuous()` selects continuous variables
- `all_categorical()` selects categorical (including "dichotomous") variables
- `all_dichotomous()` selects only type "dichotomous"
- `all_interaction()` selects interaction terms from a regression model
- `all_intercepts()` selects intercept terms from a regression model
- `all_contrasts()` selects variables in regression model based on their type of contrast
- `all_ran_pars()` and `all_ran_vals()` for random-effect parameters and values from a mixed model (see `vignette("broom_mixed_intro", package = "broom.mixed")`)

Usage

```
all_continuous()  
  
all_dichotomous()  
  
all_categorical(dichotomous = TRUE)  
  
all_interaction()  
  
all_ran_pars()  
  
all_ran_vals()  
  
all_intercepts()  
  
all_contrasts(contrasts_type = NULL)
```

Arguments

`dichotomous` Logical indicating whether to include dichotomous variables. Default is TRUE

`contrasts_type` type of contrast to select. When NULL, all variables with a contrast will be selected. Default is NULL. Select among contrast types `c("treatment", "sum", "poly", "helmert", "other")`

Value

A character vector of column names selected

Examples

```
glm(response ~ age * trt + grade, gtsummary::trial, family = binomial) %>%
  tidy_plus_plus(exponentiate = TRUE, include = all_categorical())

glm(response ~ age + trt + grade + stage,
  gtsummary::trial,
  family = binomial,
  contrasts = list(trt = contr.SAS, grade = contr.sum, stage = contr.poly)
) %>%
  tidy_plus_plus(
    exponentiate = TRUE,
    include = all_contrasts(c("treatment", "sum"))
  )
```

seq_range

Sequence generation between min and max

Description

Sequence generation between min and max

Usage

```
seq_range(x, length.out = 25)
```

Arguments

x	a numeric vector
length.out	desired length of the sequence

Details

seq_range(x, length.out) is a shortcut for seq(min(x, na.rm = TRUE), max(x, na.rm = TRUE), length.out = length.out)

Value

a numeric vector

Examples

```
seq_range(iris$Petal.Length)
```

supported_models *Listing of Supported Models*

Description

Listing of Supported Models

Usage

supported_models

Format

A data frame with one row per supported model

model Model

notes Notes

Supported models

model	notes
betareg::betareg()	Use tidy_parameters() as tidy_fun with component argument to control with coefficients to re
biglm::bigglm()	
biglmm::bigglm()	
brms::brm()	broom.mixed package required
cmprsk::crr()	Limited support. It is recommended to use tidycmprsk::crr() instead.
fixest::feglm()	May fail with R <= 4.0.
fixest::femlm()	May fail with R <= 4.0.
fixest::feNmlm()	May fail with R <= 4.0.
fixest::feols()	May fail with R <= 4.0.
gam::gam()	
geepack::geeglm()	
glmmTMB::glmmTMB()	broom.mixed package required
lavaan::lavaan()	Limited support for categorical variables
lfe::felm()	
lme4::glmer.nb()	broom.mixed package required
lme4::glmer()	broom.mixed package required
lme4::lmer()	broom.mixed package required
logitr::logitr()	Requires logitr >= 0.8.0
MASS::glm.nb()	
MASS::polr()	
mgcv::gam()	Use default tidier broom::tidy() for smooth terms only, or gtsummary::tidy_gam() to include
mice::mira	Limited support. If mod is a mira object, use tidy_plus_plus(mod, tidy_fun = function(x, .
multgee::nomLORgee()	Experimental support. Use tidy_multgee() as tidy_fun.
multgee::ordLORgee()	Experimental support. Use tidy_multgee() as tidy_fun.
nnet::multinom()	
ordinal::c1m()	Limited support for models with nominal predictors.

ordinal::clmm()	Limited support for models with nominal predictors.
parsnip::model_fit	Supported as long as the type of model and the engine is supported.
plm::plm()	
pscl::hurdle()	Use tidy_zeroinfl() as tidy_fun.
pscl::zeroinfl()	Use tidy_zeroinfl() as tidy_fun.
rstanarm::stan_glm()	broom.mixed package required
stats::aov()	Reference rows are not relevant for such models.
stats::glm()	
stats::lm()	
stats::nls()	Limited support
survey::svycoxph()	
survey::svyglm()	
survey::svyolr()	
survival::clogit()	
survival::coxph()	
survival::survreg()	
tidycmprsk::crr()	
VGAM::vglm()	Limited support. It is recommended to use tidy_parameters() as tidy_fun.

tidy_add_coefficients_type

Add coefficients type and label as attributes

Description

Add the type of coefficients ("generic", "logistic", "poisson", "relative_risk" or "prop_hazard") and the corresponding coefficient labels, as attributes to x (respectively named coefficients_type and coefficients_label).

Usage

```
tidy_add_coefficients_type(
  x,
  exponentiate = attr(x, "exponentiate"),
  model = tidy_get_model(x)
)
```

Arguments

x	a tidy tibble
exponentiate	logical indicating whether or not to exponentiate the coefficient estimates. It should be consistent with the original call to <code>broom::tidy()</code>
model	the corresponding model, if not attached to x

See Also

Other tidy_helpers: [tidy_add_contrasts\(\)](#), [tidy_add_estimate_to_reference_rows\(\)](#), [tidy_add_header_rows\(\)](#), [tidy_add_n\(\)](#), [tidy_add_pairwise_contrasts\(\)](#), [tidy_add_reference_rows\(\)](#), [tidy_add_term_labels\(\)](#), [tidy_add_variable_labels\(\)](#), [tidy_attach_model\(\)](#), [tidy_disambiguate_terms\(\)](#), [tidy_identify_variables\(\)](#), [tidy_plus_plus\(\)](#), [tidy_remove_intercept\(\)](#), [tidy_select_variables\(\)](#)

Examples

```
ex1 <- lm(hp ~ mpg + factor(cyl), mtcars) %>%
  tidy_and_attach() %>%
  tidy_add_coefficients_type()
attr(ex1, "coefficients_type")
attr(ex1, "coefficients_label")

ex2 <- Titanic %>%
  dplyr::as_tibble() %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes"))) %>%
  glm(Survived ~ Class + Age * Sex, data = ., weights = .$n, family = binomial) %>%
  tidy_and_attach(exponentiate = TRUE) %>%
  tidy_add_coefficients_type()
attr(ex2, "coefficients_type")
attr(ex2, "coefficients_label")
```

tidy_add_contrasts	<i>Add contrasts type for categorical variables</i>
--------------------	---

Description

Add a contrasts column corresponding to contrasts used for a categorical variable and a contrasts_type column equal to "treatment", "sum", "poly", "helmert", "other" or "no.contrast".

Usage

```
tidy_add_contrasts(x, model = tidy_get_model(x), quiet = FALSE)
```

Arguments

x	a tidy tibble
model	the corresponding model, if not attached to x
quiet	logical argument whether broom.helpers should not return a message when tidy_disambiguate_terms() was already applied

Details

If the variable column is not yet available in x, [tidy_identify_variables\(\)](#) will be automatically applied.

See Also

Other tidy_helpers: [tidy_add_coefficients_type\(\)](#), [tidy_add_estimate_to_reference_rows\(\)](#), [tidy_add_header_rows\(\)](#), [tidy_add_n\(\)](#), [tidy_add_pairwise_contrasts\(\)](#), [tidy_add_reference_rows\(\)](#), [tidy_add_term_labels\(\)](#), [tidy_add_variable_labels\(\)](#), [tidy_attach_model\(\)](#), [tidy_disambiguate_terms\(\)](#), [tidy_identify_variables\(\)](#), [tidy_plus_plus\(\)](#), [tidy_remove_intercept\(\)](#), [tidy_select_variables\(\)](#)

Examples

```
df <- Titanic %>%
  dplyr::as_tibble() %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes")))

df %>%
  glm(
    Survived ~ Class + Age + Sex,
    data = ., weights = .$n, family = binomial,
    contrasts = list(Age = contr.sum, Class = "contr.helmert")
  ) %>%
  tidy_and_attach() %>%
  tidy_add_contrasts()
```

tidy_add_estimate_to_reference_rows

Add an estimate value to references rows for categorical variables

Description

For categorical variables with a treatment contrast ([stats::contr.treatment\(\)](#)) or a SAS contrast ([stats::contr.SAS\(\)](#)), will add an estimate equal to θ (or 1 if `exponentiate = TRUE`) to the reference row.

Usage

```
tidy_add_estimate_to_reference_rows(
  x,
  exponentiate = attr(x, "exponentiate"),
  conf.level = attr(x, "conf.level"),
  model = tidy_get_model(x),
  quiet = FALSE
)
```

Arguments

x	a tidy tibble
exponentiate	logical indicating whether or not to exponentiate the coefficient estimates. It should be consistent with the original call to broom::tidy()

<code>conf.level</code>	confidence level, by default use the value indicated previously in <code>tidy_and_attach()</code> , used only for sum contrasts
<code>model</code>	the corresponding model, if not attached to <code>x</code>
<code>quiet</code>	logical argument whether broom.helpers should not return a message when requested output cannot be generated. Default is FALSE

Details

For categorical variables with a sum contrast (`stats::contr.sum()`), the estimate value of the reference row will be equal to the sum of all other coefficients multiplied by -1 (eventually exponentiated if `exponentiate = TRUE`), and obtained with `emmeans::emmeans()`. The `emmeans` package should therefore be installed. For sum contrasts, the model coefficient corresponds to the difference of each level with the grand mean. For sum contrasts, confidence intervals and p-values will also be computed and added to the reference rows.

For other variables, no change will be made.

If the `reference_row` column is not yet available in `x`, `tidy_add_reference_rows()` will be automatically applied.

See Also

Other `tidy_helpers`: `tidy_add_coefficients_type()`, `tidy_add_contrasts()`, `tidy_add_header_rows()`, `tidy_add_n()`, `tidy_add_pairwise_contrasts()`, `tidy_add_reference_rows()`, `tidy_add_term_labels()`, `tidy_add_variable_labels()`, `tidy_attach_model()`, `tidy_disambiguate_terms()`, `tidy_identify_variables()`, `tidy_plus_plus()`, `tidy_remove_intercept()`, `tidy_select_variables()`

Examples

```
if (.assert_package("gtsummary", boolean = TRUE) && .assert_package("emmeans", boolean = TRUE)) {
  df <- Titanic %>%
    dplyr::as_tibble() %>%
    dplyr::mutate(dplyr::across(where(is.character), factor))

  df %>%
    glm(
      Survived ~ Class + Age + Sex,
      data = ., weights = .$n, family = binomial,
      contrasts = list(Age = contr.sum, Class = "contr.SAS")
    ) %>%
    tidy_and_attach(exponentiate = TRUE) %>%
    tidy_add_reference_rows() %>%
    tidy_add_estimate_to_reference_rows()

  glm(
    response ~ stage + grade * trt,
    gtsummary::trial,
    family = binomial,
    contrasts = list(
      stage = contr.treatment(4, base = 3),
      grade = contr.treatment(3, base = 2),
    )
  )
}
```

```

      trt = contr.treatment(2, base = 2)
    )
  ) %>%
  tidy_and_attach() %>%
  tidy_add_reference_rows() %>%
  tidy_add_estimate_to_reference_rows()
}

```

`tidy_add_header_rows` *Add header rows variables with several terms*

Description

For variables with several terms (usually categorical variables but could also be the case of continuous variables with polynomial terms or splines), `tidy_add_header_rows()` will add an additional row per variable, where `label` will be equal to `var_label`. These additional rows could be identified with `header_row` column.

Usage

```

tidy_add_header_rows(
  x,
  show_single_row = NULL,
  model = tidy_get_model(x),
  quiet = FALSE,
  strict = FALSE
)

```

Arguments

<code>x</code>	a tidy tibble
<code>show_single_row</code>	a vector indicating the names of binary variables that should be displayed on a single row. Accepts <code>tidyselect</code> syntax. Default is <code>NULL</code> . See also all_dichotomous()
<code>model</code>	the corresponding model, if not attached to <code>x</code>
<code>quiet</code>	logical argument whether <code>broom.helpers</code> should not return a message when requested output cannot be generated. Default is <code>FALSE</code>
<code>strict</code>	logical argument whether <code>broom.helpers</code> should return an error when requested output cannot be generated. Default is <code>FALSE</code>

Details

The `show_single_row` argument allows to specify a list of dichotomous variables that should be displayed on a single row instead of two rows.

The added `header_row` column will be equal to:

- TRUE for an header row;
- FALSE for a normal row of a variable with an header row;
- NA for variables without an header row.

If the label column is not yet available in x, `tidy_add_term_labels()` will be automatically applied.

See Also

Other tidy_helpers: `tidy_add_coefficients_type()`, `tidy_add_contrasts()`, `tidy_add_estimate_to_reference_row()`, `tidy_add_n()`, `tidy_add_pairwise_contrasts()`, `tidy_add_reference_rows()`, `tidy_add_term_labels()`, `tidy_add_variable_labels()`, `tidy_attach_model()`, `tidy_disambiguate_terms()`, `tidy_identify_variables()`, `tidy_plus_plus()`, `tidy_remove_intercept()`, `tidy_select_variables()`

Examples

```
if (.assert_package("gtsummary", boolean = TRUE)) {
  df <- Titanic %>%
    dplyr::as_tibble() %>%
    dplyr::mutate(Survived = factor(Survived, c("No", "Yes")))

  res <- df %>%
    glm(
      Survived ~ Class + Age + Sex,
      data = ., weights = .$n, family = binomial,
      contrasts = list(Age = contr.sum, Class = "contr.SAS")
    ) %>%
    tidy_and_attach() %>%
    tidy_add_variable_labels(labels = list(Class = "Custom label for Class")) %>%
    tidy_add_reference_rows()
  res %>% tidy_add_header_rows()
  res %>% tidy_add_header_rows(show_single_row = all_dichotomous())

  glm(
    response ~ stage + grade * trt,
    gtsummary::trial,
    family = binomial,
    contrasts = list(
      stage = contr.treatment(4, base = 3),
      grade = contr.treatment(3, base = 2),
      trt = contr.treatment(2, base = 2)
    )
  ) %>%
  tidy_and_attach() %>%
  tidy_add_reference_rows() %>%
  tidy_add_header_rows()
}
```

tidy_add_n	<i>Add the (weighted) number of observations</i>
------------	--

Description

Add the number of observations in a new column `n_obs`, taking into account any weights if they have been defined.

Usage

```
tidy_add_n(x, model = tidy_get_model(x))
```

Arguments

<code>x</code>	a tidy tibble
<code>model</code>	the corresponding model, if not attached to <code>x</code>

Details

For continuous variables, it corresponds to all valid observations contributing to the model.

For categorical variables coded with treatment or sum contrasts, each model term could be associated to only one level of the original categorical variable. Therefore, `n_obs` will correspond to the number of observations associated with that level. `n_obs` will also be computed for reference rows. For polynomial contrasts (defined with `stats::contr.poly()`), all levels will contribute to the computation of each model term. Therefore, `n_obs` will be equal to the total number of observations. For Helmert and custom contrasts, only rows contributing positively (i.e. with a positive contrast) to the computation of a term will be considered for estimating `n_obs`. The result could therefore be difficult to interpret. For a better understanding of which observations are taken into account to compute `n_obs` values, you could look at `model_compute_terms_contributions()`.

For interaction terms, only rows contributing to all the terms of the interaction will be considered to compute `n_obs`.

For binomial logistic models, `tidy_add_n()` will also return the corresponding number of events (`n_event`) for each term, taking into account any defined weights. Observed proportions could be obtained as `n_obs / n_event`.

Similarly, a number of events will be computed for multinomial logistic models (`nnet::multinom()`) for each level of the outcome (`y.level`), corresponding to the number of observations equal to that outcome level.

For Poisson models, `n_event` will be equal to the number of counts per term. In addition, a third column `exposure` will be computed. If no offset is defined, `exposure` is assumed to be equal to 1 (eventually multiplied by weights) per observation. If an offset is defined, `exposure` will be equal to the (weighted) sum of the exponential of the offset (as a reminder, to model the effect of `x` on the ratio `y / z`, a Poisson model will be defined as `glm(y ~ x + offset(log(z)), family = poisson)`). Observed rates could be obtained with `n_event / exposure`.

For Cox models (`survival::coxph()`), an individual could be coded with several observations (several rows). `n_obs` will correspond to the weighted number of observations which could be

different from the number of individuals. `tidy_add_n()` will also compute a (weighted) number of events (`n_event`) according to the definition of the `survival::Surv()` object. Exposure time is also returned in exposure column. It is equal to the (weighted) sum of the time variable if only one variable time is passed to `survival::Surv()`, and to the (weighted) sum of `time2 - time` if two time variables are defined in `survival::Surv()`.

For competing risk regression models (`tidycmprsk::crr()`), `n_event` takes into account only the event of interest defined by `failcode`.

The (weighted) total number of observations (`N_obs`), of events (`N_event`) and of exposure time (`Exposure`) are stored as attributes of the returned tibble.

See Also

Other `tidy_helpers`: `tidy_add_coefficients_type()`, `tidy_add_contrasts()`, `tidy_add_estimate_to_reference_row()`, `tidy_add_header_rows()`, `tidy_add_pairwise_contrasts()`, `tidy_add_reference_rows()`, `tidy_add_term_labels()`, `tidy_add_variable_labels()`, `tidy_attach_model()`, `tidy_disambiguate_terms()`, `tidy_identify_variables()`, `tidy_plus_plus()`, `tidy_remove_intercept()`, `tidy_select_variables()`

Examples

```
lm(Petal.Length ~ ., data = iris) %>%
  tidy_and_attach() %>%
  tidy_add_n()

lm(Petal.Length ~ ., data = iris, contrasts = list(Species = contr.sum)) %>%
  tidy_and_attach() %>%
  tidy_add_n()

lm(Petal.Length ~ ., data = iris, contrasts = list(Species = contr.poly)) %>%
  tidy_and_attach() %>%
  tidy_add_n()

lm(Petal.Length ~ poly(Sepal.Length, 2), data = iris) %>%
  tidy_and_attach() %>%
  tidy_add_n()

df <- Titanic %>%
  dplyr::as_tibble() %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes")))

df %>%
  glm(
    Survived ~ Class + Age + Sex,
    data = ., weights = .$n, family = binomial,
    contrasts = list(Age = contr.sum, Class = "contr.helmert")
  ) %>%
  tidy_and_attach() %>%
  tidy_add_n()

df %>%
  glm(
```

```

Survived ~ Class * (Age:Sex),
data = ., weights = .$n, family = binomial,
contrasts = list(Age = contr.sum, Class = "contr.helmert")
) %>%
tidy_and_attach() %>%
tidy_add_n()

glm(response ~ age + grade * trt, gtsummary::trial, family = poisson) %>%
tidy_and_attach() %>%
tidy_add_n()

glm(
response ~ trt * grade + offset(log(ttdeath)),
gtsummary::trial,
family = poisson
) %>%
tidy_and_attach() %>%
tidy_add_n()

```

tidy_add_pairwise_contrasts

Add pairwise contrasts for categorical variables

Description

[Experimental] Computes pairwise contrasts with `emmeans::emmeans()` and add them to the results tibble. Works only with models supported by emmeans, see `vignette("models", package = "emmeans")`.

Usage

```

tidy_add_pairwise_contrasts(
  x,
  variables = all_categorical(),
  keep_model_terms = FALSE,
  pairwise_reverse = TRUE,
  contrasts_adjust = NULL,
  conf.level = attr(x, "conf.level"),
  emmeans_args = list(),
  model = tidy_get_model(x),
  quiet = FALSE
)

```

Arguments

<code>x</code>	a tidy tibble
<code>variables</code>	a vector indicating the name of variables for those pairwise contrasts should be added. Accepts <code>tidyselect</code> syntax. Default is <code>all_categorical()</code>

keep_model_terms	keep terms from the model?
pairwise_reverse	determines whether to use "pairwise" (if TRUE) or "revpairwise" (if FALSE), see <code>emmeans::contrast()</code>
contrasts_adjust	optional adjustment method when computing contrasts, see <code>emmeans::contrast()</code> (if NULL, use emmeans default)
conf.level	confidence level, by default use the value indicated previously in <code>tidy_and_attach()</code>
emmeans_args	list of additional parameter to pass to <code>emmeans::emmeans()</code> when computing pairwise contrasts
model	the corresponding model, if not attached to x
quiet	logical argument whether broom.helpers should not return a message when requested output cannot be generated. Default is FALSE

Note

If the contrasts column is not yet available in x, `tidy_add_contrasts()` will be automatically applied.

[Experimental] For multi-components models, such as zero-inflated Poisson or beta regression, support of pairwise contrasts is still experimental.

See Also

Other tidy_helpers: `tidy_add_coefficients_type()`, `tidy_add_contrasts()`, `tidy_add_estimate_to_reference_rows()`, `tidy_add_header_rows()`, `tidy_add_n()`, `tidy_add_reference_rows()`, `tidy_add_term_labels()`, `tidy_add_variable_labels()`, `tidy_attach_model()`, `tidy_disambiguate_terms()`, `tidy_identify_variables()`, `tidy_plus_plus()`, `tidy_remove_intercept()`, `tidy_select_variables()`

Examples

```
if (.assert_package("emmeans", boolean = TRUE)) {
  mod1 <- lm(Sepal.Length ~ Species, data = iris)
  mod1 %>%
    tidy_and_attach() %>%
    tidy_add_pairwise_contrasts()

  mod1 %>%
    tidy_and_attach() %>%
    tidy_add_pairwise_contrasts(pairwise_reverse = FALSE)

  mod1 %>%
    tidy_and_attach() %>%
    tidy_add_pairwise_contrasts(keep_model_terms = TRUE)

  mod1 %>%
    tidy_and_attach() %>%
    tidy_add_pairwise_contrasts(contrasts_adjust = "none")
}
```



```

if (.assert_package("gtsummary", boolean = TRUE)) {
  mod2 <- glm(
    response ~ age + trt + grade,
    data = gtsummary::trial,
    family = binomial
  )
  mod2 %>%
  tidy_and_attach(exponentiate = TRUE) %>%
  tidy_add_pairwise_contrasts()
}
}

```

tidy_add_reference_rows

Add references rows for categorical variables

Description

For categorical variables with a treatment contrast (`stats::contr.treatment()`), a SAS contrast (`stats::contr.SAS()`) a sum contrast (`stats::contr.sum()`), or successive differences contrast (`MASS::contr.sdif()`) add a reference row.

Usage

```

tidy_add_reference_rows(
  x,
  no_reference_row = NULL,
  model = tidy_get_model(x),
  quiet = FALSE
)

```

Arguments

<code>x</code>	a tidy tibble
<code>no_reference_row</code>	a vector indicating the name of variables for those no reference row should be added. Accepts <code>tidyselect</code> syntax. Default is <code>NULL</code> . See also <code>all_categorical()</code> and <code>all_dichotomous()</code>
<code>model</code>	the corresponding model, if not attached to <code>x</code>
<code>quiet</code>	logical argument whether broom.helpers should not return a message when requested output cannot be generated. Default is <code>FALSE</code>

Details

The added `reference_row` column will be equal to:

- TRUE for a reference row;
- FALSE for a normal row of a variable with a reference row;
- NA for variables without a reference row.

If the `contrasts` column is not yet available in `x`, `tidy_add_contrasts()` will be automatically applied.

`tidy_add_reference_rows()` will not populate the label of the reference term. It is therefore better to apply `tidy_add_term_labels()` after `tidy_add_reference_rows()` rather than before. Similarly, it is better to apply `tidy_add_reference_rows()` before `tidy_add_n()`.

See Also

Other `tidy_helpers`: `tidy_add_coefficients_type()`, `tidy_add_contrasts()`, `tidy_add_estimate_to_reference_row()`, `tidy_add_header_rows()`, `tidy_add_n()`, `tidy_add_pairwise_contrasts()`, `tidy_add_term_labels()`, `tidy_add_variable_labels()`, `tidy_attach_model()`, `tidy_disambiguate_terms()`, `tidy_identify_variables()`, `tidy_plus_plus()`, `tidy_remove_intercept()`, `tidy_select_variables()`

Examples

```
if (.assert_package("gtsummary", boolean = TRUE)) {
  df <- Titanic %>%
    dplyr::as_tibble() %>%
    dplyr::mutate(Survived = factor(Survived, c("No", "Yes")))

  res <- df %>%
    glm(
      Survived ~ Class + Age + Sex,
      data = ., weights = .$n, family = binomial,
      contrasts = list(Age = contr.sum, Class = "contr.SAS")
    ) %>%
    tidy_and_attach()
  res %>% tidy_add_reference_rows()
  res %>% tidy_add_reference_rows(no_reference_row = all_dichotomous())
  res %>% tidy_add_reference_rows(no_reference_row = "Class")

  glm(
    response ~ stage + grade * trt,
    gtsummary::trial,
    family = binomial,
    contrasts = list(
      stage = contr.treatment(4, base = 3),
      grade = contr.treatment(3, base = 2),
      trt = contr.treatment(2, base = 2)
    )
  ) %>%
  tidy_and_attach() %>%
  tidy_add_reference_rows()
}
```

```
}

```

```
tidy_add_term_labels  Add term labels
```

Description

Will add term labels in a label column, based on:

1. labels provided in labels argument if provided;
2. factor levels for categorical variables coded with treatment, SAS or sum contrasts (the label could be customized with categorical_terms_pattern argument);
3. variable labels when there is only one term per variable;
4. term name otherwise.

Usage

```
tidy_add_term_labels(
  x,
  labels = NULL,
  interaction_sep = " * ",
  categorical_terms_pattern = "{level}",
  model = tidy_get_model(x),
  quiet = FALSE,
  strict = FALSE
)
```

Arguments

x	a tidy tibble
labels	an optional named list or named vector of custom term labels
interaction_sep	separator for interaction terms
categorical_terms_pattern	a glue pattern for labels of categorical terms with treatment or sum contrasts (see examples and <code>model_list_terms_levels()</code>)
model	the corresponding model, if not attached to x
quiet	logical argument whether broom.helpers should not return a message when requested output cannot be generated. Default is FALSE
strict	logical argument whether broom.helpers should return an error when requested output cannot be generated. Default is FALSE

Details

If the `variable_label` column is not yet available in `x`, `tidy_add_variable_labels()` will be automatically applied. If the `contrasts` column is not yet available in `x`, `tidy_add_contrasts()` will be automatically applied.

It is possible to pass a custom label for any term in `labels`, including interaction terms.

See Also

Other `tidy_helpers`: `tidy_add_coefficients_type()`, `tidy_add_contrasts()`, `tidy_add_estimate_to_reference_row()`, `tidy_add_header_rows()`, `tidy_add_n()`, `tidy_add_pairwise_contrasts()`, `tidy_add_reference_rows()`, `tidy_add_variable_labels()`, `tidy_attach_model()`, `tidy_disambiguate_terms()`, `tidy_identify_variables()`, `tidy_plus_plus()`, `tidy_remove_intercept()`, `tidy_select_variables()`

Examples

```
df <- Titanic %>%
  dplyr::as_tibble() %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes"))) %>%
  labelled::set_variable_labels(
    Class = "Passenger's class",
    Sex = "Sex"
  )

mod <- df %>%
  glm(Survived ~ Class * Age * Sex, data = ., weights = .$n, family = binomial)
mod %>%
  tidy_and_attach() %>%
  tidy_add_term_labels()

mod %>%
  tidy_and_attach() %>%
  tidy_add_term_labels(
    interaction_sep = " x ",
    categorical_terms_pattern = "{level} / {reference_level}"
  )
```

`tidy_add_variable_labels`

Add variable labels

Description

Will add variable labels in a `var_label` column, based on:

1. labels provided in `labels` argument if provided;
2. variable labels defined in the original data frame with the `label` attribute (cf. `labelled::var_label()`);
3. variable name otherwise.

Usage

```
tidy_add_variable_labels(
  x,
  labels = NULL,
  interaction_sep = " * ",
  model = tidy_get_model(x),
  quiet = FALSE,
  strict = FALSE
)
```

Arguments

x	a tidy tibble
labels	an optional named list or named vector of custom variable labels
interaction_sep	separator for interaction terms
model	the corresponding model, if not attached to x
quiet	logical argument whether broom.helpers should not return a message when requested output cannot be generated. Default is FALSE
strict	logical argument whether broom.helpers should return an error when requested output cannot be generated. Default is FALSE

Details

If the variable column is not yet available in x, [tidy_identify_variables\(\)](#) will be automatically applied.

It is possible to pass a custom label for an interaction term in labels (see examples).

See Also

Other tidy_helpers: [tidy_add_coefficients_type\(\)](#), [tidy_add_contrasts\(\)](#), [tidy_add_estimate_to_reference_rows\(\)](#), [tidy_add_header_rows\(\)](#), [tidy_add_n\(\)](#), [tidy_add_pairwise_contrasts\(\)](#), [tidy_add_reference_rows\(\)](#), [tidy_add_term_labels\(\)](#), [tidy_attach_model\(\)](#), [tidy_disambiguate_terms\(\)](#), [tidy_identify_variables\(\)](#), [tidy_plus_plus\(\)](#), [tidy_remove_intercept\(\)](#), [tidy_select_variables\(\)](#)

Examples

```
df <- Titanic %>%
  dplyr::as_tibble() %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes"))) %>%
  labelled::set_variable_labels(
    Class = "Passenger's class",
    Sex = "Sex"
  )

df %>%
  glm(Survived ~ Class * Age * Sex, data = ., weights = .$n, family = binomial) %>%
  tidy_and_attach() %>%
```

```
tidy_add_variable_labels(
  labels = list(
    "(Intercept)" = "Custom intercept",
    Sex = "Gender",
    "Class:Age" = "Custom label"
  )
)
```

tidy_all_effects *Marginal Predictions at the mean with effects::allEffects()*

Description

[Experimental] Use `effects::allEffects()` to estimate marginal predictions and return a tibble tidied in a way that it could be used by `broom.helpers` functions. See `vignette("functions-supported-by-effects", package = "effects")` for a list of supported models.

Usage

```
tidy_all_effects(x, conf.int = TRUE, conf.level = 0.95, ...)
```

Arguments

<code>x</code>	a model
<code>conf.int</code>	logical indicating whether or not to include a confidence interval in the tidied output
<code>conf.level</code>	the confidence level to use for the confidence interval
<code>...</code>	additional parameters passed to <code>effects::allEffects()</code>

Details

By default, `effects::allEffects()` estimate marginal predictions at the mean at the observed means for continuous variables and weighting modalities of categorical variables according to their observed distribution in the original dataset. Marginal predictions are therefore computed at a sort of averaged situation / typical values for the other variables fixed in the model.

For more information, see `vignette("marginal_tidiers", "broom.helpers")`.

Note

If the model contains interactions, `effects::allEffects()` will return marginal predictions for the different levels of the interactions.

See Also

`effects::allEffects()`

Other marginal_tieders: `tidy_avg_comparisons()`, `tidy_avg_slopes()`, `tidy_ggpredict()`, `tidy_marginal_contrasts()`, `tidy_marginal_means()`, `tidy_marginal_predictions()`, `tidy_margins()`

Examples

```
df <- Titanic %>%
  dplyr::as_tibble() %>%
  tidyr::uncount(n) %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes")))
mod <- glm(
  Survived ~ Class + Age + Sex,
  data = df, family = binomial
)
tidy_all_effects(mod)
tidy_plus_plus(mod, tidy_fun = tidy_all_effects)
```

tidy_attach_model	<i>Attach a full model to the tibble of model terms</i>
-------------------	---

Description

To facilitate the use of broom helpers with pipe, it is recommended to attach the original model as an attribute to the tibble of model terms generated by `broom::tidy()`.

Usage

```
tidy_attach_model(x, model, .attributes = NULL)

tidy_and_attach(
  model,
  tidy_fun = tidy_with_broom_or_parameters,
  conf.int = TRUE,
  conf.level = 0.95,
  exponentiate = FALSE,
  ...
)

tidy_get_model(x)

tidy_detach_model(x)
```

Arguments

x	a tibble of model terms
model	a model to be attached/tidied
.attributes	named list of additional attributes to be attached to x
tidy_fun	option to specify a custom tidier function
conf.int	logical indicating whether or not to include a confidence interval in the tidied output

conf.level	level of confidence for confidence intervals (default: 95%)
exponentiate	logical indicating whether or not to exponentiate the coefficient estimates. This is typical for logistic, Poisson and Cox models, but a bad idea if there is no log or logit link; defaults to FALSE
...	other arguments passed to tidy_fun()

Details

tidy_attach_model() attach the model to a tibble already generated while tidy_and_attach() will apply broom::tidy() and attach the model.

Use tidy_get_model() to get the model attached to the tibble and tidy_detach_model() to remove the attribute containing the model.

See Also

Other tidy_helpers: [tidy_add_coefficients_type\(\)](#), [tidy_add_contrasts\(\)](#), [tidy_add_estimate_to_reference_row\(\)](#), [tidy_add_header_rows\(\)](#), [tidy_add_n\(\)](#), [tidy_add_pairwise_contrasts\(\)](#), [tidy_add_reference_rows\(\)](#), [tidy_add_term_labels\(\)](#), [tidy_add_variable_labels\(\)](#), [tidy_disambiguate_terms\(\)](#), [tidy_identify_variables\(\)](#), [tidy_plus_plus\(\)](#), [tidy_remove_intercept\(\)](#), [tidy_select_variables\(\)](#)

Examples

```
mod <- lm(Sepal.Length ~ Sepal.Width + Species, data = iris)
tt <- mod %>%
  tidy_and_attach(conf.int = TRUE)
tt
tidy_get_model(tt)
```

tidy_avg_comparisons *Marginal Contrasts with* `marginalEffects::avg_comparisons()`

Description

[Experimental] Use `marginalEffects::avg_comparisons()` to estimate marginal contrasts and return a tibble tidied in a way that it could be used by broom.helpers functions. See `marginalEffects::avg_comparisons()` for a list of supported models.

Usage

```
tidy_avg_comparisons(x, conf.int = TRUE, conf.level = 0.95, ...)
```

Arguments

x	a model
conf.int	logical indicating whether or not to include a confidence interval in the tidied output
conf.level	the confidence level to use for the confidence interval
...	additional parameters passed to <code>marginalEffects::avg_comparisons()</code>

Details

By default, `marginalEffects::avg_comparisons()` estimate average marginal contrasts: a contrast is computed for each observed value in the original dataset (counterfactual approach) before being averaged. Marginal Contrasts at the Mean could be computed by specifying `newdata = "mean"`. The `variables` argument can be used to select the contrasts to be computed. Please refer to the documentation page of `marginalEffects::avg_comparisons()`.

See also `tidy_marginal_contrasts()` for taking into account interactions. For more information, see `vignette("marginal_tidiers", "broom.helpers")`.

See Also

`marginalEffects::avg_comparisons()`

Other `marginal_tidiers`: [tidy_all_effects\(\)](#), [tidy_avg_slopes\(\)](#), [tidy_ggpredict\(\)](#), [tidy_marginal_contrasts\(\)](#), [tidy_marginal_means\(\)](#), [tidy_marginal_predictions\(\)](#), [tidy_margins\(\)](#)

Examples

```
# Average Marginal Contrasts

df <- Titanic %>%
  dplyr::as_tibble() %>%
  tidy::uncount(n) %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes")))
mod <- glm(
  Survived ~ Class + Age + Sex,
  data = df, family = binomial
)
tidy_avg_comparisons(mod)
tidy_plus_plus(mod, tidy_fun = tidy_avg_comparisons)

mod2 <- lm(Petal.Length ~ poly(Petal.Width, 2) + Species, data = iris)
tidy_avg_comparisons(mod2)

# Customizing the type of contrasts
tidy_avg_comparisons(
  mod2,
  variables = list(Petal.Width = 2, Species = "pairwise")
)

# Marginal Contrasts at the Mean
tidy_avg_comparisons(mod, newdata = "mean")
tidy_plus_plus(mod, tidy_fun = tidy_avg_comparisons, newdata = "mean")
```

tidy_avg_slopes	<i>Marginal Slopes / Effects with</i> <code>marginaleffects::avg_slopes()</code>
-----------------	--

Description

[Experimental] Use `marginaleffects::avg_slopes()` to estimate marginal slopes / effects and return a tibble tidied in a way that it could be used by `broom.helpers` functions. See `marginaleffects::avg_slopes()` for a list of supported models.

Usage

```
tidy_avg_slopes(x, conf.int = TRUE, conf.level = 0.95, ...)
```

Arguments

<code>x</code>	a model
<code>conf.int</code>	logical indicating whether or not to include a confidence interval in the tidied output
<code>conf.level</code>	the confidence level to use for the confidence interval
<code>...</code>	additional parameters passed to <code>marginaleffects::avg_slopes()</code>

Details

By default, `marginaleffects::avg_slopes()` estimate average marginal effects (AME): an effect is computed for each observed value in the original dataset before being averaged. Marginal Effects at the Mean (MEM) could be computed by specifying `newdata = "mean"`. Other types of marginal effects could be computed. Please refer to the documentation page of `marginaleffects::avg_slopes()`.

For more information, see `vignette("marginal_tidiers", "broom.helpers")`.

See Also

`marginaleffects::avg_slopes()`

Other `marginal_tieders`: [tidy_all_effects\(\)](#), [tidy_avg_comparisons\(\)](#), [tidy_ggpredict\(\)](#), [tidy_marginal_contrasts\(\)](#), [tidy_marginal_means\(\)](#), [tidy_marginal_predictions\(\)](#), [tidy_margins\(\)](#)

Examples

```
# Average Marginal Effects (AME)

df <- Titanic %>%
  dplyr::as_tibble() %>%
  tidyr::uncount(n) %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes")))
mod <- glm(
  Survived ~ Class + Age + Sex,
  data = df, family = binomial
```

```

)
tidy_avg_slopes(mod)
tidy_plus_plus(mod, tidy_fun = tidy_avg_slopes)

mod2 <- lm(Petal.Length ~ poly(Petal.Width, 2) + Species, data = iris)
tidy_avg_slopes(mod2)

# Marginal Effects at the Mean (MEM)
tidy_avg_slopes(mod, newdata = "mean")
tidy_plus_plus(mod, tidy_fun = tidy_avg_slopes, newdata = "mean")

```

tidy_broom	<i>Tidy with broom::tidy() and checks that all arguments are used</i>
------------	---

Description

Tidy with broom::tidy() and checks that all arguments are used

Usage

```
tidy_broom(x, ...)
```

Arguments

x	a model to tidy
...	additional parameters passed to broom::tidy()

See Also

Other custom_tieders: [tidy_multgee\(\)](#), [tidy_parameters\(\)](#), [tidy_with_broom_or_parameters\(\)](#), [tidy_zeroinfl\(\)](#)

tidy_disambiguate_terms	<i>Disambiguate terms</i>
-------------------------	---------------------------

Description

For mixed models, the term column returned by broom.mixed may have duplicated values for random-effect parameters and random-effect values. In such case, the terms could be disambiguated by prefixing them with the value of the group column. tidy_disambiguate_terms() will not change any term if there is no group column in x. The original term value is kept in a new column original_term.

Usage

```
tidy_disambiguate_terms(x, sep = ".", model = tidy_get_model(x), quiet = FALSE)
```

Arguments

x	a tidy tibble
sep	character, separator added between group name and term
model	the corresponding model, if not attached to x
quiet	logical argument whether broom.helpers should not return a message when requested output cannot be generated. Default is FALSE

See Also

Other tidy_helpers: [tidy_add_coefficients_type\(\)](#), [tidy_add_contrasts\(\)](#), [tidy_add_estimate_to_reference_rows\(\)](#), [tidy_add_header_rows\(\)](#), [tidy_add_n\(\)](#), [tidy_add_pairwise_contrasts\(\)](#), [tidy_add_reference_rows\(\)](#), [tidy_add_term_labels\(\)](#), [tidy_add_variable_labels\(\)](#), [tidy_attach_model\(\)](#), [tidy_identify_variables\(\)](#), [tidy_plus_plus\(\)](#), [tidy_remove_intercept\(\)](#), [tidy_select_variables\(\)](#)

Examples

```
if (
  .assert_package("lme4", boolean = TRUE) &&
  .assert_package("broom.mixed", boolean = TRUE) &&
  .assert_package("gtsummary", boolean = TRUE)
) {
  mod <- lme4::lmer(marker ~ stage + (1 | grade) + (death | response), gtsummary::trial)
  mod %>%
    tidy_and_attach() %>%
    tidy_disambiguate_terms()
}
```

tidy_ggpredict

Marginal Predictions with ggeffects::ggpredict()

Description

[Experimental] Use `ggeffects::ggpredict()` to estimate marginal predictions and return a tibble tidied in a way that it could be used by broom.helpers functions. See <https://strengejacked.github.io/ggeffects/> for a list of supported models.

Usage

```
tidy_ggpredict(x, conf.int = TRUE, conf.level = 0.95, ...)
```

Arguments

<code>x</code>	a model
<code>conf.int</code>	logical indicating whether or not to include a confidence interval in the tidied output
<code>conf.level</code>	the confidence level to use for the confidence interval
<code>...</code>	additional parameters passed to <code>ggeffects::ggpredict()</code>

Details

By default, `ggeffects::ggpredict()` estimate marginal predictions at the observed mean of continuous variables and at the first modality of categorical variables (regardless of the type of contrasts used in the model).

For more information, see `vignette("marginal_tidiers", "broom.helpers")`.

Note

By default, `ggeffects::ggpredict()` estimates marginal predictions for each individual variable, regardless of eventual interactions.

See Also

`ggeffects::ggpredict()`

Other `marginal_tidiers`: `tidy_all_effects()`, `tidy_avg_comparisons()`, `tidy_avg_slopes()`, `tidy_marginal_contrasts()`, `tidy_marginal_means()`, `tidy_marginal_predictions()`, `tidy_margins()`

Examples

```
df <- Titanic %>%
  dplyr::as_tibble() %>%
  tidyr::uncount(n) %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes")))
mod <- glm(
  Survived ~ Class + Age + Sex,
  data = df, family = binomial
)
tidy_ggpredict(mod)
tidy_plus_plus(mod, tidy_fun = tidy_ggpredict)
```

tidy_identify_variables

Identify the variable corresponding to each model coefficient

Description

tidy_identify_variables() will add to the tidy tibble three additional columns: variable, var_class, var_type and var_nlevels.

Usage

```
tidy_identify_variables(x, model = tidy_get_model(x), quiet = FALSE)
```

Arguments

x	a tidy tibble
model	the corresponding model, if not attached to x
quiet	logical argument whether broom.helpers should not return a message when requested output cannot be generated. Default is FALSE

Details

It will also identify interaction terms and intercept(s).

var_type could be:

- "continuous",
- "dichotomous" (categorical variable with 2 levels),
- "categorical" (categorical variable with 3 levels or more),
- "intercept"
- "interaction"
- "ran_pars" (random-effect parameters for mixed models)
- "ran_vals" (random-effect values for mixed models)
- "unknown" in the rare cases where tidy_identify_variables() will fail to identify the list of variables

For dichotomous and categorical variables, var_nlevels corresponds to the number of original levels in the corresponding variables.

See Also

[model_identify_variables\(\)](#)

Other tidy_helpers: [tidy_add_coefficients_type\(\)](#), [tidy_add_contrasts\(\)](#), [tidy_add_estimate_to_reference_row\(\)](#), [tidy_add_header_rows\(\)](#), [tidy_add_n\(\)](#), [tidy_add_pairwise_contrasts\(\)](#), [tidy_add_reference_rows\(\)](#), [tidy_add_term_labels\(\)](#), [tidy_add_variable_labels\(\)](#), [tidy_attach_model\(\)](#), [tidy_disambiguate_terms\(\)](#), [tidy_plus_plus\(\)](#), [tidy_remove_intercept\(\)](#), [tidy_select_variables\(\)](#)

Examples

```
Titanic %>%
  dplyr::as_tibble() %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes"))) %>%
  glm(Survived ~ Class + Age * Sex, data = ., weights = .$n, family = binomial) %>%
  tidy_and_attach() %>%
  tidy_identify_variables()

lm(
  Sepal.Length ~ poly(Sepal.Width, 2) + Species,
  data = iris,
  contrasts = list(Species = contr.sum)
) %>%
  tidy_and_attach(conf.int = TRUE) %>%
  tidy_identify_variables()
```

tidy_marginal_contrasts

Marginal Contrasts with `marginalEffects::avg_comparisons()`

Description

[Experimental] Use `marginalEffects::avg_comparisons()` to estimate marginal contrasts for each variable of a model and return a tibble tidied in a way that it could be used by `broom.helpers` functions. See `marginalEffects::avg_comparisons()` for a list of supported models.

Usage

```
tidy_marginal_contrasts(
  x,
  variables_list = "auto",
  conf.int = TRUE,
  conf.level = 0.95,
  ...
)

variables_to_contrast(
  model,
  interactions = TRUE,
  cross = FALSE,
  var_categorical = "reference",
  var_continuous = 1,
  by_categorical = unique,
  by_continuous = stats::fivenum
)
```

Arguments

<code>x</code>	a model
<code>variables_list</code>	a list whose elements will be sequentially passed to <code>marginaleffects::avg_comparisons()</code> (see details below); alternatively, it could also be the string "auto" (default), "cross" or "no_interaction"
<code>conf.int</code>	logical indicating whether or not to include a confidence interval in the tidied output
<code>conf.level</code>	the confidence level to use for the confidence interval
<code>...</code>	additional parameters passed to <code>marginaleffects::avg_comparisons()</code>
<code>model</code>	a model
<code>interactions</code>	should combinations of variables corresponding to interactions be returned?
<code>cross</code>	if interaction is TRUE, should "cross-contrasts" be computed? (if FALSE, only the last term of an interaction is passed to <code>variable</code> and the other terms are passed to <code>by</code>)
<code>var_categorical</code>	default variable value for categorical variables
<code>var_continuous</code>	default variable value for continuous variables
<code>by_categorical</code>	default by value for categorical variables
<code>by_continuous</code>	default by value for continuous variables

Details

Marginal contrasts are obtained by calling, for each variable or combination of variables, `marginaleffects::avg_comparisons()`. `tidy_marginal_contrasts()` will compute marginal contrasts for each variable or combination of variables, before stacking the results in a unique tibble. This is why `tidy_marginal_contrasts()` has a `variables_list` argument consisting of a list of specifications that will be passed sequentially to the `variables` and the `by` argument of `marginaleffects::avg_comparisons()`.

Considering a single categorical variable named `cat`, `tidy_marginal_contrasts()` will call `avg_comparisons(model, variables = list(cat = "reference"))` to obtain average marginal contrasts for this variable.

Considering a single continuous variable named `cont`, `tidy_marginal_contrasts()` will call `avg_comparisons(model, variables = list(cont = 1))` to obtain average marginal contrasts for an increase of one unit.

For a combination of variables, there are several possibilities. You could compute "cross-contrasts" by providing simultaneously several variables to `variables` and specifying `cross = TRUE` to `marginaleffects::avg_comparisons()`. Alternatively, you could compute the contrasts of a first variable specified to `variables` for the different values of a second variable specified to `by`.

The helper function `variables_to_contrast()` could be used to automatically generate a suitable list to be used with `variables_list`. Each combination of variables should be a list with two named elements: "variables" a list of named elements passed to `variables` and "by" a list of named elements used for creating a relevant datagrid and whose names are passed to `by`.

`variables_list`'s default value, "auto", calls `variables_to_contrast(interactions = TRUE, cross = FALSE)` while "no_interaction" is a shortcut for `variables_to_contrast(interactions = FALSE)`. "cross" calls `variables_to_contrast(interactions = TRUE, cross = TRUE)`

You can also provide custom specifications (see examples).

By default, *average marginal contrasts* are computed: contrasts are computed using a counterfactual grid for each value of the variable of interest, before averaging the results. *Marginal contrasts at the mean* could be obtained by indicating `newdata = "mean"`. Other assumptions are possible, see the help file of `margineffects::avg_comparisons()`.

For more information, see `vignette("marginal_tidiers", "broom.helpers")`.

See Also

`margineffects::avg_comparisons()`, `tidy_avg_comparisons()`

Other `marginal_tidiers`: `tidy_all_effects()`, `tidy_avg_comparisons()`, `tidy_avg_slopes()`, `tidy_ggpredict()`, `tidy_marginal_means()`, `tidy_marginal_predictions()`, `tidy_margins()`

Examples

```
# Average Marginal Contrasts
df <- Titanic %>%
  dplyr::as_tibble() %>%
  tidyr::uncount(n) %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes")))
mod <- glm(
  Survived ~ Class + Age + Sex,
  data = df, family = binomial
)
tidy_marginal_contrasts(mod)
tidy_plus_plus(mod, tidy_fun = tidy_marginal_contrasts)

mod2 <- lm(Petal.Length ~ poly(Petal.Width, 2) + Species, data = iris)
tidy_marginal_contrasts(mod2)
tidy_marginal_contrasts(
  mod2,
  variables_list = variables_to_predict(
    mod2,
    continuous = 3,
    categorical = "pairwise"
  )
)

# Model with interactions
mod3 <- glm(
  Survived ~ Sex * Age + Class,
  data = df, family = binomial
)
tidy_marginal_contrasts(mod3)
tidy_marginal_contrasts(mod3, "no_interaction")
tidy_marginal_contrasts(mod3, "cross")
tidy_marginal_contrasts(
  mod3,
  variables_list = list(
    list(variables = list(Class = "pairwise"), by = list(Sex = unique)),
    list(variables = list(Age = "all")),
  )
)
```

```

      list(variables = list(Class = "sequential", Sex = "reference"))
    )
  )

mod4 <- lm(Sepal.Length ~ Petal.Length * Petal.Width + Species, data = iris)
tidy_marginal_contrasts(mod4)
tidy_marginal_contrasts(
  mod4,
  variables_list = list(
    list(
      variables = list(Species = "sequential"),
      by = list(Petal.Length = c(2, 5))
    ),
    list(
      variables = list(Petal.Length = 2),
      by = list(Species = unique, Petal.Width = 2:4)
    )
  )
)

# Marginal Contrasts at the Mean
tidy_marginal_contrasts(mod, newdata = "mean")
tidy_marginal_contrasts(mod3, newdata = "mean")

```

tidy_marginal_means *Marginal Means with* `marginaleffects::marginal_means()`

Description

[Experimental] Use `marginaleffects::marginal_means()` to estimate marginal means and return a tibble tidied in a way that it could be used by `broom.helpers` functions. See `marginaleffects::marginal_means()` for a list of supported models.

Usage

```
tidy_marginal_means(x, conf.int = TRUE, conf.level = 0.95, ...)
```

Arguments

<code>x</code>	a model
<code>conf.int</code>	logical indicating whether or not to include a confidence interval in the tidied output
<code>conf.level</code>	the confidence level to use for the confidence interval
<code>...</code>	additional parameters passed to <code>marginaleffects::marginal_means()</code>

Details

`margineffects::marginal_means()` estimate marginal means: adjusted predictions, averaged across a grid of categorical predictors, holding other numeric predictors at their means. Please refer to the documentation page of `margineffects::marginal_means()`. Marginal means are defined only for categorical variables.

For more information, see `vignette("marginal_tidiers", "broom.helpers")`.

See Also

`margineffects::marginal_means()`

Other `marginal_tidiers`: `tidy_all_effects()`, `tidy_avg_comparisons()`, `tidy_avg_slopes()`, `tidy_ggpredict()`, `tidy_marginal_contrasts()`, `tidy_marginal_predictions()`, `tidy_margins()`

Examples

```
# Average Marginal Means

df <- Titanic %>%
  dplyr::as_tibble() %>%
  tidyr::uncount(n) %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes")))
mod <- glm(
  Survived ~ Class + Age + Sex,
  data = df, family = binomial
)
tidy_marginal_means(mod)
tidy_plus_plus(mod, tidy_fun = tidy_marginal_means)

mod2 <- lm(Petal.Length ~ poly(Petal.Width, 2) + Species, data = iris)
tidy_marginal_means(mod2)
```

`tidy_marginal_predictions`

Marginal Predictions with `margineffects::avg_predictions()`

Description

[Experimental] Use `margineffects::avg_predictions()` to estimate marginal predictions for each variable of a model and return a tibble tidied in a way that it could be used by `broom.helpers` functions. See `margineffects::avg_predictions()` for a list of supported models.

Usage

```

tidy_marginal_predictions(
  x,
  variables_list = "auto",
  conf.int = TRUE,
  conf.level = 0.95,
  ...
)

variables_to_predict(
  model,
  interactions = TRUE,
  categorical = unique,
  continuous = stats::fivenum
)

plot_marginal_predictions(x, variables_list = "auto", conf.level = 0.95, ...)

```

Arguments

<code>x</code>	a model
<code>variables_list</code>	a list whose elements will be sequentially passed to <code>marginalEffects::avg_predictions()</code> (see details below); alternatively, it could also be the string "auto" (default) or "no_interaction"
<code>conf.int</code>	logical indicating whether or not to include a confidence interval in the tidied output
<code>conf.level</code>	the confidence level to use for the confidence interval
<code>...</code>	additional parameters passed to <code>marginalEffects::avg_predictions()</code>
<code>model</code>	a model
<code>interactions</code>	should combinations of variables corresponding to interactions be returned?
<code>categorical</code>	default value for categorical variables
<code>continuous</code>	default value for continuous variables

Details

Marginal predictions are obtained by calling, for each variable, `marginalEffects::avg_predictions()` with the same variable being used for the `variables` and the `by` argument.

Considering a categorical variable named `cat`, `tidy_marginal_predictions()` will call `avg_predictions(model, variables = list(cat = unique), by = "cat")` to obtain average marginal predictions for this variable.

Considering a continuous variable named `cont`, `tidy_marginal_predictions()` will call `avg_predictions(model, variables = list(cont = "fivenum"), by = "cont")` to obtain average marginal predictions for this variable at the minimum, the first quartile, the median, the third quartile and the maximum of the observed values of `cont`.

By default, *average marginal predictions* are computed: predictions are made using a counterfactual grid for each value of the variable of interest, before averaging the results. *Marginal predictions at the mean* could be obtained by indicating `newdata = "mean"`. Other assumptions are possible, see the help file of `marginaleffects::avg_predictions()`.

`tidy_marginal_predictions()` will compute marginal predictions for each variable or combination of variables, before stacking the results in a unique tibble. This is why `tidy_marginal_predictions()` has a `variables_list` argument consisting of a list of specifications that will be passed sequentially to the `variables` argument of `marginaleffects::avg_predictions()`.

The helper function `variables_to_predict()` could be used to automatically generate a suitable list to be used with `variables_list`. By default, all unique values are retained for categorical variables and `fivenum` (i.e. Tukey's five numbers, minimum, quartiles and maximum) for continuous variables. When `interactions = FALSE`, `variables_to_predict()` will return a list of all individual variables used in the model. If `interactions = TRUE`, it will search for higher order combinations of variables (see `model_list_higher_order_variables()`).

`variables_list`'s default value, "auto", calls `variables_to_predict(interactions = TRUE)` while "no_interaction" is a shortcut for `variables_to_predict(interactions = FALSE)`.

You can also provide custom specifications (see examples).

`plot_marginal_predictions()` works in a similar way and returns a list of plots that could be combined with `patchwork::wrap_plots()` (see examples).

For more information, see `vignette("marginal_tidiers", "broom.helpers")`.

See Also

`marginaleffects::avg_predictions()`

Other marginal_tieders: `tidy_all_effects()`, `tidy_avg_comparisons()`, `tidy_avg_slopes()`, `tidy_ggpredict()`, `tidy_marginal_contrasts()`, `tidy_marginal_means()`, `tidy_margins()`

Examples

```
# Average Marginal Predictions
df <- Titanic %>%
  dplyr::as_tibble() %>%
  tidyr::uncount(n) %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes")))
mod <- glm(
  Survived ~ Class + Age + Sex,
  data = df, family = binomial
)
tidy_marginal_predictions(mod)
tidy_plus_plus(mod, tidy_fun = tidy_marginal_predictions)
if (require("patchwork")) {
  plot_marginal_predictions(mod) %>% patchwork::wrap_plots()
  plot_marginal_predictions(mod) %>%
    patchwork::wrap_plots() &
    ggplot2::scale_y_continuous(limits = c(0, 1), label = scales::percent)
}
```

```

mod2 <- lm(Petal.Length ~ poly(Petal.Width, 2) + Species, data = iris)
tidy_marginal_predictions(mod2)
if (require("patchwork")) {
  plot_marginal_predictions(mod2) %>% patchwork::wrap_plots()
}
tidy_marginal_predictions(
  mod2,
  variables_list = variables_to_predict(mod2, continuous = "threenum")
)
tidy_marginal_predictions(
  mod2,
  variables_list = list(
    list(Petal.Width = c(0, 1, 2, 3)),
    list(Species = unique)
  )
)
tidy_marginal_predictions(
  mod2,
  variables_list = list(list(Species = unique, Petal.Width = 1:3))
)

# Model with interactions
mod3 <- glm(
  Survived ~ Sex * Age + Class,
  data = df, family = binomial
)
tidy_marginal_predictions(mod3)
tidy_marginal_predictions(mod3, "no_interaction")
if (require("patchwork")) {
  plot_marginal_predictions(mod3) %>%
    patchwork::wrap_plots()
  plot_marginal_predictions(mod3, "no_interaction") %>%
    patchwork::wrap_plots()
}
tidy_marginal_predictions(
  mod3,
  variables_list = list(
    list(Class = unique, Sex = "Female"),
    list(Age = unique)
  )
)

# Marginal Predictions at the Mean
tidy_marginal_predictions(mod, newdata = "mean")
if (require("patchwork")) {
  plot_marginal_predictions(mod, newdata = "mean") %>%
    patchwork::wrap_plots()
}

```

Description

[Experimental] Use `margins::margins()` to estimate average marginal effects (AME) and return a tibble tidied in a way that it could be used by `broom.helpers` functions. See `margins::margins()` for a list of supported models.

Usage

```
tidy_margins(x, conf.int = TRUE, conf.level = 0.95, ...)
```

Arguments

<code>x</code>	a model
<code>conf.int</code>	logical indicating whether or not to include a confidence interval in the tidied output
<code>conf.level</code>	the confidence level to use for the confidence interval
<code>...</code>	additional parameters passed to <code>margins::margins()</code>

Details

By default, `margins::margins()` estimate average marginal effects (AME): an effect is computed for each observed value in the original dataset before being averaged.

For more information, see `vignette("marginal_tidiers", "broom.helpers")`.

Note

When applying `margins::margins()`, custom contrasts are ignored. Treatment contrasts (`stats::contr.treatment()`) are applied to all categorical variables. Interactions are also ignored.

See Also

`margins::margins()`

Other `marginal_tieders`: [tidy_all_effects\(\)](#), [tidy_avg_comparisons\(\)](#), [tidy_avg_slopes\(\)](#), [tidy_ggpredict\(\)](#), [tidy_marginal_contrasts\(\)](#), [tidy_marginal_means\(\)](#), [tidy_marginal_predictions\(\)](#)

Examples

```
df <- Titanic %>%
  dplyr::as_tibble() %>%
  tidy::uncount(n) %>%
  dplyr::mutate(Survived = factor(Survived, c("No", "Yes")))
mod <- glm(
  Survived ~ Class + Age + Sex,
  data = df, family = binomial
)
tidy_margins(mod)
tidy_plus_plus(mod, tidy_fun = tidy_margins)
```

tidy_multgee	<i>Tidy a multgee model</i>
--------------	-----------------------------

Description

[Experimental] A tidier for models generated with `multgee::nomLORgee()` or `multgee::ordLORgee()`. Term names will be updated to be consistent with generic models. The original term names are preserved in an "original_term" column.

Usage

```
tidy_multgee(x, conf.int = TRUE, conf.level = 0.95, ...)
```

Arguments

<code>x</code>	a <code>multgee::nomLORgee()</code> or a <code>multgee::ordLORgee()</code> model
<code>conf.int</code>	logical indicating whether or not to include a confidence interval in the tidied output
<code>conf.level</code>	the confidence level to use for the confidence interval
<code>...</code>	additional parameters passed to <code>parameters::model_parameters()</code>

See Also

Other custom_tieders: [tidy_broom\(\)](#), [tidy_parameters\(\)](#), [tidy_with_broom_or_parameters\(\)](#), [tidy_zeroinfl\(\)](#)

Examples

```
if (.assert_package("multgee", boolean = TRUE)) {
  library(multgee)

  mod <- multgee::nomLORgee(
    y ~ factor(time) * sec,
    data = multgee::housing,
    id = id,
    repeated = time,
  )
  mod %>% tidy_multgee()

  mod2 <- ordLORgee(
    formula = y ~ factor(time) + factor(trt) + factor(baseline),
    data = multgee::arthritis,
    id = id,
    repeated = time,
    LORstr = "uniform"
  )
  mod2 %>% tidy_multgee()
}
```



```
}
```

tidy_parameters *Tidy a model with parameters package*

Description

Use `parameters::model_parameters()` to tidy a model and apply `parameters::standardize_names(style = "broom")` to the output

Usage

```
tidy_parameters(x, conf.int = TRUE, conf.level = 0.95, ...)
```

Arguments

x	a model
conf.int	logical indicating whether or not to include a confidence interval in the tidied output
conf.level	the confidence level to use for the confidence interval
...	additional parameters passed to <code>parameters::model_parameters()</code>

Note

For `betareg::betareg()`, the component column in the results is standardized with `broom::tidy()`, using "mean" and "precision" values.

See Also

Other custom_tieders: `tidy_broom()`, `tidy_multgee()`, `tidy_with_broom_or_parameters()`, `tidy_zeroinfl()`

Examples

```
if (.assert_package("parameters", boolean = TRUE)) {  
  lm(Sepal.Length ~ Sepal.Width + Species, data = iris) %>%  
  tidy_parameters()  
}
```

`tidy_plus_plus`*Tidy a model and compute additional informations*

Description

This function will apply sequentially:

- `tidy_and_attach()`
- `tidy_disambiguate_terms()`
- `tidy_identify_variables()`
- `tidy_add_contrasts()`
- `tidy_add_reference_rows()`
- `tidy_add_pairwise_contrasts()`
- `tidy_add_estimate_to_reference_rows()`
- `tidy_add_variable_labels()`
- `tidy_add_term_labels()`
- `tidy_add_header_rows()`
- `tidy_add_n()`
- `tidy_remove_intercept()`
- `tidy_select_variables()`
- `tidy_add_coefficients_type()`
- `tidy_detach_model()`

Usage

```
tidy_plus_plus(  
  model,  
  tidy_fun = tidy_with_broom_or_parameters,  
  conf.int = TRUE,  
  conf.level = 0.95,  
  exponentiate = FALSE,  
  variable_labels = NULL,  
  term_labels = NULL,  
  interaction_sep = " * ",  
  categorical_terms_pattern = "{level}",  
  disambiguate_terms = TRUE,  
  disambiguate_sep = ".",  
  add_reference_rows = TRUE,  
  no_reference_row = NULL,  
  add_pairwise_contrasts = FALSE,  
  pairwise_variables = all_categorical(),  
  keep_model_terms = FALSE,  
  pairwise_reverse = TRUE,
```

```

  contrasts_adjust = NULL,
  emmeans_args = list(),
  add_estimate_to_reference_rows = TRUE,
  add_header_rows = FALSE,
  show_single_row = NULL,
  add_n = TRUE,
  intercept = FALSE,
  include = everything(),
  keep_model = FALSE,
  quiet = FALSE,
  strict = FALSE,
  ...
)

```

Arguments

model	a model to be attached/tidied
tidy_fun	option to specify a custom tidier function
conf.int	should confidence intervals be computed? (see broom::tidy())
conf.level	level of confidence for confidence intervals (default: 95%)
exponentiate	logical indicating whether or not to exponentiate the coefficient estimates. This is typical for logistic, Poisson and Cox models, but a bad idea if there is no log or logit link; defaults to FALSE.
variable_labels	a named list or a named vector of custom variable labels
term_labels	a named list or a named vector of custom term labels
interaction_sep	separator for interaction terms
categorical_terms_pattern	a glue pattern for labels of categorical terms with treatment or sum contrasts (see model_list_terms_levels())
disambiguate_terms	should terms be disambiguated with tidy_disambiguate_terms() ? (default TRUE)
disambiguate_sep	separator for tidy_disambiguate_terms()
add_reference_rows	should reference rows be added?
no_reference_row	variables (accepts tidyselect notation) for those no reference row should be added, when <code>add_reference_rows = TRUE</code>
add_pairwise_contrasts	apply tidy_add_pairwise_contrasts() ? [Experimental]
pairwise_variables	variables to add pairwise contrasts (accepts tidyselect notation)

<code>keep_model_terms</code>	keep original model terms for variables where pairwise contrasts are added? (default is FALSE)
<code>pairwise_reverse</code>	determines whether to use "pairwise" (if TRUE) or "revpairwise" (if FALSE), see <code>emmeans::contrast()</code>
<code>contrasts_adjust</code>	optional adjustment method when computing contrasts, see <code>emmeans::contrast()</code> (if NULL, use emmeans default)
<code>emmeans_args</code>	list of additional parameter to pass to <code>emmeans::emmeans()</code> when computing pairwise contrasts
<code>add_estimate_to_reference_rows</code>	should an estimate value be added to reference rows?
<code>add_header_rows</code>	should header rows be added?
<code>show_single_row</code>	variables that should be displayed on a single row (accepts <code>tidyselect</code> notation), when <code>add_header_rows</code> is TRUE
<code>add_n</code>	should the number of observations be added?
<code>intercept</code>	should the intercept(s) be included?
<code>include</code>	variables to include. Accepts <code>tidyselect</code> syntax. Use <code>-</code> to remove a variable. Default is <code>everything()</code> . See also <code>all_continuous()</code> , <code>all_categorical()</code> , <code>all_dichotomous()</code> and <code>all_interaction()</code>
<code>keep_model</code>	should the model be kept as an attribute of the final result?
<code>quiet</code>	logical argument whether <code>broom.helpers</code> should not return a message when requested output cannot be generated. Default is FALSE
<code>strict</code>	logical argument whether <code>broom.helpers</code> should return an error when requested output cannot be generated. Default is FALSE
<code>...</code>	other arguments passed to <code>tidy_fun()</code>

See Also

Other `tidy_helpers`: `tidy_add_coefficients_type()`, `tidy_add_contrasts()`, `tidy_add_estimate_to_reference_rows()`, `tidy_add_header_rows()`, `tidy_add_n()`, `tidy_add_pairwise_contrasts()`, `tidy_add_reference_rows()`, `tidy_add_term_labels()`, `tidy_add_variable_labels()`, `tidy_attach_model()`, `tidy_disambiguate_terms()`, `tidy_identify_variables()`, `tidy_remove_intercept()`, `tidy_select_variables()`

Examples

```
ex1 <- lm(Sepal.Length ~ Sepal.Width + Species, data = iris) %>%
  tidy_plus_plus()
ex1

df <- Titanic %>%
  dplyr::as_tibble() %>%
  dplyr::mutate(
```

```

    Survived = factor(Survived, c("No", "Yes"))
  ) %>%
  labelled::set_variable_labels(
    Class = "Passenger's class",
    Sex = "Gender"
  )
ex2 <- glm(
  Survived ~ Class + Age * Sex,
  data = df, weights = df$n,
  family = binomial
) %>%
  tidy_plus_plus(
    exponentiate = TRUE,
    add_reference_rows = FALSE,
    categorical_terms_pattern = "{level} / {reference_level}",
    add_n = TRUE
  )
ex2
if (.assert_package("gtsummary", boolean = TRUE)) {
  ex3 <-
    glm(
      response ~ poly(age, 3) + stage + grade * trt,
      na.omit(gtsummary::trial),
      family = binomial,
      contrasts = list(
        stage = contr.treatment(4, base = 3),
        grade = contr.sum
      )
    ) %>%
    tidy_plus_plus(
      exponentiate = TRUE,
      variable_labels = c(age = "Age (in years)"),
      add_header_rows = TRUE,
      show_single_row = all_dichotomous(),
      term_labels = c("poly(age, 3)3" = "Cubic age"),
      keep_model = TRUE
    )
  ex3
}

```

tidy_remove_intercept *Remove intercept(s)*

Description

Will remove terms where `var_type == "intercept"`.

Usage

```
tidy_remove_intercept(x, model = tidy_get_model(x))
```

Arguments

x	a tidy tibble
model	the corresponding model, if not attached to x

Details

If the variable column is not yet available in x, [tidy_identify_variables\(\)](#) will be automatically applied.

See Also

Other tidy_helpers: [tidy_add_coefficients_type\(\)](#), [tidy_add_contrasts\(\)](#), [tidy_add_estimate_to_reference_rows\(\)](#), [tidy_add_header_rows\(\)](#), [tidy_add_n\(\)](#), [tidy_add_pairwise_contrasts\(\)](#), [tidy_add_reference_rows\(\)](#), [tidy_add_term_labels\(\)](#), [tidy_add_variable_labels\(\)](#), [tidy_attach_model\(\)](#), [tidy_disambiguate_terms\(\)](#), [tidy_identify_variables\(\)](#), [tidy_plus_plus\(\)](#), [tidy_select_variables\(\)](#)

Examples

```
Titanic %>%
  dplyr::as_tibble() %>%
  dplyr::mutate(Survived = factor(Survived)) %>%
  glm(Survived ~ Class + Age + Sex, data = ., weights = .$n, family = binomial) %>%
  tidy_and_attach() %>%
  tidy_remove_intercept()
```

`tidy_select_variables` *Select variables to keep/drop*

Description

Will remove unselected variables from the results. To remove the intercept, use [tidy_remove_intercept\(\)](#).

Usage

```
tidy_select_variables(x, include = everything(), model = tidy_get_model(x))
```

Arguments

x	a tidy tibble
include	variables to include. Accepts tidyselect syntax. Use - to remove a variable. Default is everything() . See also all_continuous() , all_categorical() , all_dichotomous() and all_interaction()
model	the corresponding model, if not attached to x

Details

If the variable column is not yet available in x, [tidy_identify_variables\(\)](#) will be automatically applied.

Value

The x tibble limited to the included variables (and eventually the intercept), sorted according to the include parameter.

See Also

Other tidy_helpers: [tidy_add_coefficients_type\(\)](#), [tidy_add_contrasts\(\)](#), [tidy_add_estimate_to_reference_rows\(\)](#), [tidy_add_header_rows\(\)](#), [tidy_add_n\(\)](#), [tidy_add_pairwise_contrasts\(\)](#), [tidy_add_reference_rows\(\)](#), [tidy_add_term_labels\(\)](#), [tidy_add_variable_labels\(\)](#), [tidy_attach_model\(\)](#), [tidy_disambiguate_terms\(\)](#), [tidy_identify_variables\(\)](#), [tidy_plus_plus\(\)](#), [tidy_remove_intercept\(\)](#)

Examples

```
res <- Titanic %>%
  dplyr::as_tibble() %>%
  dplyr::mutate(Survived = factor(Survived)) %>%
  glm(Survived ~ Class + Age * Sex, data = ., weights = .$n, family = binomial) %>%
  tidy_and_attach() %>%
  tidy_identify_variables()

res
res %>% tidy_select_variables()
res %>% tidy_select_variables(include = "Class")
res %>% tidy_select_variables(include = -c("Age", "Sex"))
res %>% tidy_select_variables(include = starts_with("A"))
res %>% tidy_select_variables(include = all_categorical())
res %>% tidy_select_variables(include = all_dichotomous())
res %>% tidy_select_variables(include = all_interaction())
res %>% tidy_select_variables(
  include = c("Age", all_categorical(dichotomous = FALSE), all_interaction())
)
```

tidy_with_broom_or_parameters

Tidy a model with broom or parameters

Description

Try to tidy a model with `broom::tidy()`. If it fails, will try to tidy the model using `parameters::model_parameters()` through `tidy_parameters()`.

Usage

```
tidy_with_broom_or_parameters(x, conf.int = TRUE, conf.level = 0.95, ...)
```

Arguments

x	a model
conf.int	logical indicating whether or not to include a confidence interval in the tidied output
conf.level	the confidence level to use for the confidence interval
...	additional parameters passed to broom::tidy() or parameters::model_parameters()

See Also

Other custom_tieders: [tidy_broom\(\)](#), [tidy_multgee\(\)](#), [tidy_parameters\(\)](#), [tidy_zeroinfl\(\)](#)

tidy_zeroinfl	<i>Tidy a zeroinfl or a hurdle model</i>
---------------	--

Description

[Experimental] A tidier for models generated with pscl::zeroinfl() or pscl::hurdle(). Term names will be updated to be consistent with generic models. The original term names are preserved in an "original_term" column.

Usage

```
tidy_zeroinfl(x, conf.int = TRUE, conf.level = 0.95, component = NULL, ...)
```

Arguments

x	a pscl::zeroinfl() or a pscl::hurdle() model
conf.int	logical indicating whether or not to include a confidence interval in the tidied output
conf.level	the confidence level to use for the confidence interval
component	NULL or one of "all", "conditional", "zi", or "zero_inflated"
...	additional parameters passed to parameters::model_parameters()

See Also

Other custom_tieders: [tidy_broom\(\)](#), [tidy_multgee\(\)](#), [tidy_parameters\(\)](#), [tidy_with_broom_or_parameters\(\)](#)

Examples

```
if (.assert_package("pscl", boolean = TRUE)) {
  library(pscl)
  mod <- zeroinfl(
    art ~ fem + mar + phd,
    data = pscl::bioChemists
  )
}
```



```
  mod %>% tidy_zeroinfl(exponentiate = TRUE)  
}
```

Index

- * **custom_tieders**
 - tidy_broom, 59
 - tidy_multgee, 72
 - tidy_parameters, 73
 - tidy_with_broom_or_parameters, 79
 - tidy_zeroinfl, 80
- * **datasets**
 - supported_models, 38
- * **marginal_tieders**
 - tidy_all_effects, 54
 - tidy_avg_comparisons, 56
 - tidy_avg_slopes, 58
 - tidy_ggpredict, 60
 - tidy_marginal_contrasts, 63
 - tidy_marginal_means, 66
 - tidy_marginal_predictions, 67
 - tidy_margins, 71
- * **model_helpers**
 - model_compute_terms_contributions, 8
 - model_get_assign, 9
 - model_get_coefficients_type, 10
 - model_get_contrasts, 12
 - model_get_model, 13
 - model_get_model_frame, 14
 - model_get_model_matrix, 15
 - model_get_n, 17
 - model_get_nlevels, 19
 - model_get_offset, 20
 - model_get_pairwise_contrasts, 21
 - model_get_response, 22
 - model_get_response_variable, 23
 - model_get_terms, 24
 - model_get_weights, 25
 - model_get_xlevels, 27
 - model_identify_variables, 28
 - model_list_contrasts, 29
 - model_list_higher_order_variables, 31
 - model_list_terms_levels, 32
 - model_list_variables, 34
- * **other_helpers**
 - .clean_backticks, 3
 - .escape_regex, 4
- * **tidy_helpers**
 - tidy_add_coefficients_type, 39
 - tidy_add_contrasts, 40
 - tidy_add_estimate_to_reference_rows, 41
 - tidy_add_header_rows, 43
 - tidy_add_n, 45
 - tidy_add_pairwise_contrasts, 47
 - tidy_add_reference_rows, 49
 - tidy_add_term_labels, 51
 - tidy_add_variable_labels, 52
 - tidy_attach_model, 55
 - tidy_disambiguate_terms, 59
 - tidy_identify_variables, 62
 - tidy_plus_plus, 74
 - tidy_remove_intercept, 77
 - tidy_select_variables, 78
 - .assert_package (assert_package), 7
 - .clean_backticks, 3, 4
 - .escape_regex, 3, 4
 - .formula_list_to_named_list, 4
 - .generic_selector, 5
 - .get_all_packages_dependencies (assert_package), 7
 - .get_min_version_required (assert_package), 7
 - .get_package_dependencies (assert_package), 7
 - .is_selector_scoped (.generic_selector), 5
 - .select_to_varnames, 6
 - all_categorical (select_helpers), 36
 - all_categorical(), 47, 49, 76, 78
 - all_continuous (select_helpers), 36

- `all_continuous()`, 76, 78
- `all_contrasts(select_helpers)`, 36
- `all_dichotomous(select_helpers)`, 36
- `all_dichotomous()`, 43, 49, 76, 78
- `all_interaction(select_helpers)`, 36
- `all_interaction()`, 76, 78
- `all_intercepts(select_helpers)`, 36
- `all_ran_pars(select_helpers)`, 36
- `all_ran_vals(select_helpers)`, 36
- `assert_package`, 7

- `betareg::betareg()`, 73
- `broom::tidy()`, 39, 41, 73, 75

- `emmeans::contrast()`, 21, 48, 76
- `emmeans::emmeans()`, 21, 47, 48, 76

- `glue` pattern, 32, 51, 75

- `labelled::var_label()`, 35, 52

- `MASS::contr.sdif()`, 32, 49
- `model_compute_terms_contributions`, 8, 10, 12–16, 18, 20–22, 24–27, 29–31, 33, 35
- `model_compute_terms_contributions()`, 45
- `model_get_assign`, 8, 9, 12–16, 18, 20–22, 24–27, 29–31, 33, 35
- `model_get_coefficients_type`, 8, 10, 10, 13–16, 18, 20–22, 24–27, 29–31, 33, 35
- `model_get_contrasts`, 8, 10, 12, 12, 14–16, 18, 20–22, 24–27, 29–31, 33, 35
- `model_get_model`, 8, 10, 12, 13, 13, 15, 16, 18, 20–22, 24–27, 29–31, 33, 35
- `model_get_model_frame`, 8, 10, 12–14, 14, 16, 18, 20–22, 24–27, 29–31, 33, 35
- `model_get_model_matrix`, 8, 10, 12–15, 15, 18, 20–22, 24–27, 29–31, 33, 35
- `model_get_n`, 8, 10, 12–16, 17, 20–22, 24–27, 29–31, 33, 35
- `model_get_n()`, 8
- `model_get_nlevels`, 8, 10, 12–16, 18, 19, 20–22, 24–27, 29–31, 33, 35
- `model_get_offset`, 8, 10, 12–16, 18, 20, 20, 21, 22, 24–27, 29–31, 33, 35
- `model_get_pairwise_contrasts`, 8, 10, 12–16, 18, 20, 21, 22, 24–27, 29–31, 33, 35
- `model_get_response`, 8, 10, 12–16, 18, 20, 21, 22, 24–27, 29–31, 33, 35
- `model_get_response_variable`, 8, 10, 12–16, 18, 20–22, 23, 25–27, 29–31, 33, 35
- `model_get_terms`, 8, 10, 12–16, 18, 20–22, 24, 24, 26, 27, 29–31, 33, 35
- `model_get_weights`, 8, 10, 12–16, 18, 20–22, 24, 25, 25, 27, 29–31, 33, 35
- `model_get_xlevels`, 8, 10, 12–16, 18, 20–22, 24–26, 27, 29–31, 33, 35
- `model_identify_variables`, 8, 10, 12–16, 18, 20–22, 24–27, 28, 30, 31, 33, 35
- `model_identify_variables()`, 62
- `model_list_contrasts`, 8, 10, 12–16, 18, 20–22, 24–27, 29, 29, 31, 33, 35
- `model_list_higher_order_variables`, 8, 10, 12–16, 18, 20–22, 24–27, 29, 30, 31, 33, 35
- `model_list_terms_levels`, 8, 10, 12–16, 18, 20–22, 24–27, 29–31, 32, 35
- `model_list_terms_levels()`, 51, 75
- `model_list_variables`, 8, 10, 12–16, 18, 20–22, 24–27, 29–31, 33, 34
- `model_list_variables()`, 32, 33
- `model_list_variables(only_variable = TRUE)`, 3

- `parameters::model_parameters()`, 73
- `plm::plm()`, 16
- `plot_marginal_predictions`
(`tidy_marginal_predictions`), 67

- `select_helpers`, 36
- `seq_range`, 37
- `stats::MFclass()`, 29, 35
- `stats::contr.poly()`, 45
- `stats::contr.SAS()`, 41, 49
- `stats::contr.sum()`, 42, 49
- `stats::contr.treatment()`, 41, 49
- `stats::model.frame()`, 14, 15
- `stats::model.matrix()`, 9, 10, 15, 16
- `stats::model.matrix.default()`, 15
- `stats::offset()`, 17
- `stats::terms()`, 24, 25
- `supported_models`, 38
- `survival::coxph()`, 17, 45
- `survival::Surv()`, 46

- tidy_add_coefficients_type, 39, 41, 42, 44, 46, 48, 50, 52, 53, 56, 60, 62, 76, 78, 79
- tidy_add_coefficients_type(), 74
- tidy_add_contrasts, 40, 40, 42, 44, 46, 48, 50, 52, 53, 56, 60, 62, 76, 78, 79
- tidy_add_contrasts(), 48, 50, 52, 74
- tidy_add_estimate_to_reference_rows, 40, 41, 41, 44, 46, 48, 50, 52, 53, 56, 60, 62, 76, 78, 79
- tidy_add_estimate_to_reference_rows(), 74
- tidy_add_header_rows, 40–42, 43, 46, 48, 50, 52, 53, 56, 60, 62, 76, 78, 79
- tidy_add_header_rows(), 74
- tidy_add_n, 40–42, 44, 45, 48, 50, 52, 53, 56, 60, 62, 76, 78, 79
- tidy_add_n(), 18, 50, 74
- tidy_add_pairwise_contrasts, 40–42, 44, 46, 47, 50, 52, 53, 56, 60, 62, 76, 78, 79
- tidy_add_pairwise_contrasts(), 74, 75
- tidy_add_reference_rows, 40–42, 44, 46, 48, 49, 52, 53, 56, 60, 62, 76, 78, 79
- tidy_add_reference_rows(), 42, 74
- tidy_add_term_labels, 40–42, 44, 46, 48, 50, 51, 53, 56, 60, 62, 76, 78, 79
- tidy_add_term_labels(), 44, 50, 74
- tidy_add_variable_labels, 40–42, 44, 46, 48, 50, 52, 52, 56, 60, 62, 76, 78, 79
- tidy_add_variable_labels(), 52, 74
- tidy_all_effects, 54, 57, 58, 61, 65, 67, 69, 71
- tidy_and_attach (tidy_attach_model), 55
- tidy_and_attach(), 42, 48, 74
- tidy_attach_model, 40–42, 44, 46, 48, 50, 52, 53, 55, 60, 62, 76, 78, 79
- tidy_avg_comparisons, 54, 56, 58, 61, 65, 67, 69, 71
- tidy_avg_slopes, 54, 57, 58, 61, 65, 67, 69, 71
- tidy_broom, 59, 72, 73, 80
- tidy_detach_model (tidy_attach_model), 55
- tidy_detach_model(), 74
- tidy_disambiguate_terms, 40–42, 44, 46, 48, 50, 52, 53, 56, 59, 62, 76, 78, 79
- tidy_disambiguate_terms(), 74, 75
- tidy_get_model (tidy_attach_model), 55
- tidy_ggpredict, 54, 57, 58, 60, 65, 67, 69, 71
- tidy_identify_variables, 40–42, 44, 46, 48, 50, 52, 53, 56, 60, 62, 76, 78, 79
- tidy_identify_variables(), 29, 40, 53, 74, 78
- tidy_marginal_contrasts, 54, 57, 58, 61, 63, 67, 69, 71
- tidy_marginal_means, 54, 57, 58, 61, 65, 66, 69, 71
- tidy_marginal_predictions, 54, 57, 58, 61, 65, 67, 67, 71
- tidy_margins, 54, 57, 58, 61, 65, 67, 69, 70
- tidy_multgee, 59, 72, 73, 80
- tidy_parameters, 59, 72, 73, 80
- tidy_plus_plus, 40–42, 44, 46, 48, 50, 52, 53, 56, 60, 62, 74, 78, 79
- tidy_remove_intercept, 40–42, 44, 46, 48, 50, 52, 53, 56, 60, 62, 76, 77, 79
- tidy_remove_intercept(), 74, 78
- tidy_select_variables, 40–42, 44, 46, 48, 50, 52, 53, 56, 60, 62, 76, 78, 78
- tidy_select_variables(), 74
- tidy_with_broom_or_parameters, 59, 72, 73, 79, 80
- tidy_zeroinfl, 59, 72, 73, 80, 80
- tidycmprsk::crr(), 18, 46
- tidyselect, 43, 47, 49, 75, 76, 78
- variables_to_contrast
 - (tidy_marginal_contrasts), 63
- variables_to_predict
 - (tidy_marginal_predictions), 67